

**GOLD
CHAIN
WORLD**

COLLECTION

ANTAS

WWW.ANTASJEWELLERY.COM



WHOLE SALE

Tasdirek Cesme Sok.

Ariman Han No:9/3

Cemberlitas Istanbul Turkey

TEL: 0 (212) 518 47 60

Fax: 0 (212) 517 98 89

email: antas@antasjewellery.com

SHOW ROOM

Buyuk Sehir Is Merkezi

Kat:1 No: 43/26

Antalya Turkey

TEL: 0 (242) 247 70 49

Fax: 0 (242) 247 71 28

email: antas@antasjewellery.com

www.antasjewellery.com

İÇİNDEKİLER

Çeşitli AKS	33-34-35
El işi Bileklikler102-103-104-105-106-107-108-109-110-111-112	
Paralel Pullu Bileklik	99-100-101
Pullu Bileklikler	97-98
Damla	48
DK Kare	57
DK Örgüler	116
DK Sekiz Köşe	57
Dorica	24
Viyana (Dorica)	24
Duble	30
Çeşitli El İşi Zincirler	77-83-84-85-86-87
Ezme Modeller	77-78-79
Çift Halkalı Ezme	58
Çeşitli Fantazi Zincirler	25-26-27-68-91
Figaro 1+1	12
Figaro 3+1	8
Bombeli Figaro 3+1	14
Desenli Ezme Figaro 3+1	18
Fantazi Figaro 1+1	17
Fantazi Figaro 3+1	16
Fantazi Figaro 5+1	17
Franko Figaro	6
Geniş Figaro 3+1	15
Hafif Figaro 3+1	13
Hafif Figaro Oluklu 3+1	13
İki Renk Figaro 3+1	11
Oluklu Figaro 1+1	14
Oluklu Figaro 3+1	9
Pave Figaro 3+1	10
Pave Geniş Figaro 3+1	15
Pave Fantazi Figaro 3+1	17
Üç Renk Desenli Figaro 3+1	11
Flex	75
Flex Twist	29
Pave Flex Twist	29
Pave Desenli Flex	76
Forse Barlı	42
Forse Barlı Traşlı	42
Forse Bismark	65-66
Forse Brill Ezme	43
Çeşitli Forse Barlı	47
Fantazi Forse Barlı	46
Forse Örgü	114
Sıkı Forse Yuvarlak	52
Sıkı Forse Yuvarlak Traşlı	52
Pave Yuvarlak Sıkı Forse	52
Klasik Forse	41
Klasik Forse Traşlı	41
Pave Forse Barlı	43
Pave Klasik Forse	43
Desenli Klasik Forse	43
Sıkı Forse	49
Sıkı Forse Arabesk Oval	48
Sıkı Forse Brill Ezme	51
Sıkı Forse Küp	51
Sıkı Forse Küp Twist	51
Sıkı Forse Traşlı	49
Sıkı Forse Üst Traşlı	49
Uzun Forse Traşlı	44
Uzun Sıkı Forse	50
Uzun Sıkı Forse Traşlı	50
Garibaldi	93
Bombeli Garibaldi	95
Dört Halka Açık Garibaldi	96
Traşlı Açık Garibaldi	96
Üç Halka Garibaldi	94
Üç Halka Açık Garibaldi	96
Gurmet	1
Gurmet Bismark	66
Gurmet Franko	67
Gurmet Tondo	6
Gurmet Tondo Desenli	6
Barlı Uzun Gurmet	18
Bombeli Gurmet	5
Geniş Gurmet	3

Hafif Geniş Gurmet	5
Hafif Geniş Gurmet Oluklu.....	5
Oluklu Gurmet	2
Oluklu Geniş Gurmet	3
Rombo Gurmet	4
Rombo Gurmet Traşlı	4
Pave Gurmet	10
Pave Gurmet Bismark	67
Uzun Gurmet	7
Uzun Gurmet Bismark	6
Üç Renk Gurmet Bismark	67
Üç Renk Oluklu Gurmet	11
İçi Boş Halat	71
İçi Boş Lazer Halat	71
İçi Dolu Lazer Halat	71
İçi Dolu Lazer Halat Traşlı	72
Pave İçi Dolu Lazer Halat	72
İçi Boş Halat Süzme	70
İpek Halat Süzme	69
Hafif Halat	73
Setinalı İpek Halat	73
Seyrek Halat	73
Makina Halatı	38
Duble Makina Halatı	38
Hasır	74
Katlamalı Zincirler.....	88-89-90
Kral	92
Kuş Kafesi	39-40
Kuş Kafesi Örgü	115
Künyeler	121-122-123-124
Küp Zincir	21
Alternatif Küp Zincir	22
Çeşitli Fantazi Küp Zincir	23
Love	31
Mariner	45
Gurmet Mariner	19
Figaro Mariner	19
Gurmet Oluklu Mariner	20
Figaro Oluklu Mariner	20
Pave Mariner	18
Nonna	28
Nonna Oluklu	28
Oval Franko	67
Karışık Örgü Zincirler.....	117-118-119-120
Rambo	29
Replacement	32
Rombo	30
Satürn	80-81-82
Serpentina	36
Serpentina Örgü	116
Serpentina Twist	36
Spike	53
Spike Traşlı.....	53
Ezme Spike	54
Kare Spike	54
Pave Spike	53
Pave Ezme Spike	54
Tondo	55
Alternatif Pave Tondo	56
Tondo Desenli	55
Tondo Ezme	58
Tondo Janjan.....	58
Pave Tondo	56
Oval Tondo	56
Tondo Örgü	120
Top	59
Top Bismark Traşlı	63
Top Örgü.....	114
Top Traşlı.....	59
Pave Top	59
Top Twist Traşlı	63
Çeşitli Fantazi Top ve Sosis.....	62
Fantazi Sosis Top	61
Sosis Top	60
Pave Sosis Top	60
Sosis Top Bismark	64
Sosis Top Örgü	113
Sosis Top Traşlı	60
Twist	37

INDEX



















Assorted AKS Chain	33-34-35
Anchor Chain	42
Assorted Anchor Chain	47
D/C Anchor Chain	42
D/C Long Anchor Chain	44
Flat Anchor	45
Flat Anchor Chain (Brill)	43
Fancy Anchor Chain	46
Pave Anchor Chain	43
Arrow	66
Tri-Color Arrow	67
Pave Arrow	67
Bead	59
Bead & Bar	60
Assorted Fancy Bead & Bar	62
Braided Bead	114
Braided Bead & Bar	113
D/C Bead	59
D/C Bead & Bar	60
D/C Multiline Bead & Bar	64
Fancy Bead & Bar	61
Multilined Bead	63
Twisted D/C Multiline Bead	63
Pave Bead	59
Pave Bead & Bar	60
Bismark	65
Square Byzantine	92
Box Chain	21
Alternated Box Chain	22
Assorted Fancy Box Chain	23
Assorted Mirror Bracelets	99-100
D/C Charm Bracelets	96
Fancy Bracelets	102
Four Link Charm Bracelets	96
Mirror Bracelets	97-98
Mixed Parallel Bracelets	101
Three Link Charm Bracelets	96
Braided Chains	116
Mixed Braided Chains	117-118-119-120
Cable	49
Cable Brill	51
D/C Cable	49
Flat D/C Cable	49
D/C Round Cable	52
D/C Long Cable	50
Long Cable	50
Round Cable	52
Square Cable	51
Twisted Square Cable	51
Pave Round Cable	52
Curb	1
Concave Curb	2
Concave Open Curb	3
Convex Curb	5
Light Open Curb	5
Long Link Curb	7
Long Link Bar Curb	18
Multiline Long Link Curb	6
Open Curb	3
Tri-Color Concave Curb	11
Rombo Curb	4
Rombo Concave Curb	4
Pave Curb	10
Eight Sided DK	57
Square DK	57
Drop	48
Dorica	24
Viyana (Dorica)	24
Double	30
Assorted Fancy Chains	27-68-91
Figaro 1+1	12
Figaro 3+1	8
Concave Figaro 1+1	14
Concave Figaro 3+1	9
Concave Light Figaro 3+1	13
Convex Figaro 3+1	14

Design Figaro 3+1.....	18
Fancy Figaro 1+1.....	17
Fancy Figaro 3+1.....	16
Fancy Figaro 5+1.....	17
Figaro Franco.....	6
Larga Figaro 3+1.....	15
Light Figaro 3+1.....	13
Tri-Color Pave Design Figaro 3+1.....	11
Two-Tone Figaro 3+1.....	11
Pave Figaro 3+1.....	10
Pave Larga Figaro 3+1.....	15
Pave Fancy Figaro 3+1.....	17
Twisted Flex	29
Pave Twisted Flex	29
Pave Designed Flex	76
Fold Over Chains.....	88-89-90
Forzentina	41
Braided Forzentina	114
D/C Forzentina	41
Design Forzentina	43
Pave Forzentina	43
Franco	67
Round Franco	67
Garibaldi	93
Convex Garibaldi	95
Three Link Garibaldi	94
Hand-Made Bracelets.....	102-103-104-105-106-107
Hand-Made Bracelets.....	108-109-110-111-112
Assorted Hand-Made Chains.....	77-83-84-85-86-87
Herringbone	75
I.D. Bracelets.....	121-122-123-124
Love	31
Flat Figaro Mariner	19
Flat Gurmet Mariner	19
Concave Figaro Mariner	20
Concave Gurmet Mariner	20
Pave Flat Mariner	18
Mesh	74
Grand Nonna	28
Concave Grand Nonna	28
Arabesque Oval	48
Piatto Chains.....	77-78-79
Popcorn	39-40
Braided Popcorn	115
Rambo	29
Replacement	32
Rombo	30
Rope Chain.....	69
D/C Chinese Rope	38
D/C Solid Laser Rope	72
Double Rope	38
Hollow Rope	71
Hollow Laser Rope	71
Hollow Textured Rope	73
Laser Rope	70
Light Hollow Laser Rope	73
Open Hollow Rope	73
Solid Laser Rope	71
Pave Solid Laser Rope	72
Saturn	80-81-82
Serpentine	36
Braided Serpentine	116
Twisted Serpentine	36
Singapore	37
Snail Fancy Chains.....	25-26
Snake	55
Alternated Pave Snake	56
Braided Snake	120
Curb Snake	6
Designed Snake	55
Designed Curb Snake	6
Flat Snake	58
Glitter Snake	58
Oval Snake	56
Pave Designed Snake	56
Wheat	53
D/C Wheat	53
Flat Wheat	54
Square Wheat	54
Pave Wheat	53
Pave Flat Wheat	54

Gourmet Curb

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

























0.69 mm	 G-20	0.70	0.80	0.95
0.90 mm	 G-25	1.10	1.25	1.50
1.04 mm	 G-30	1.65	1.85	2.20
1.23 mm	 G-35	1.95	2.20	2.65
1.40 mm	 G-40	2.85	3.20	3.85
1.75 mm	 G-50	3.90	4.40	5.30
2.00 mm	 G-60	5.15	5.80	6.95
2.40 mm	 G-70	7.05	7.90	9.50
2.70 mm	 G-80	8.95	10.05	12.05
3.40 mm	 G-100	13.85	15.55	18.65
4.20 mm	 G-120	19.60	22.00	26.40
5.20 mm	 G-150	26.25	29.50	35.40
6.20 mm	 G-180	34.00	38.20	45.85
7.00 mm	 G-200	42.70	48.00	57.60
7.40 mm	 G-220	53.40	60.00	72.00
9.50 mm	 G-250	62.30	70.00	84.00
10.65 mm	 G-280	74.75	84.00	100.80
11.00 mm	 G-300	97.90	110.00	132.00

(Tolerance ± 5%)

Oluklu Gurmet
Concave Curb

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

		GC-60	5,40	6,10	7,30
2.00 mm					
		GC-70	6,75	7,60	9,10
2.40 mm					
		GC-80	8,35	9,40	11,30
2.70 mm					
		GC-100	14,00	15,70	18,85
3.40 mm					
		GC-120	19,85	22,30	26,75
4.20 mm					
		GC-150	26,85	30,20	36,25
5.20 mm					
		GC-180	35,15	39,50	47,40
6.20 mm					
		GC-200	43,35	48,70	58,45
7.00 mm					
		GC-220	50,75	57,00	68,40
7.40 mm					
		GC-250	64,10	72,00	86,40
9.50 mm					
		GC-280	73,25	82,30	98,75
10.65 mm					
		GC-300	98,80	111,00	133,20
11.00 mm					

(Tolerance ± %5)



Geniş Gurmet Open Curb

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

1.10 mm	○	GL-30	1.35	1.50	1.80
1.30 mm	○	GL-35	2.15	2.40	2.90
1.50 mm	○	GL-40	2.75	3.10	3.75
1.90 mm	○	GL-50	3.75	4.20	5.05
2.36 mm	○	GL-60	4.45	5.00	6.00
2.70 mm	○	GL-70	6.05	6.80	8.15
3.20 mm	○	GL-80	7.70	8.65	10.40
3.90 mm	○	GL-100	11.60	13.00	15.60
4.75 mm	○	GL-120	15.60	17.50	21.00
5.80 mm	○	GL-150	24.80	27.85	33.40
6.80 mm	○	GL-180	27.15	30.50	36.60

Oluklu Geniş Gurmet Concave Open Curb

2.36 mm	○	GLC-60	4.10	4.65	5.60
2.70 mm	○	GLC-70	5.50	6.20	7.45
3.20 mm	○	GLC-80	6.85	7.70	9.25
3.90 mm	○	GLC-100	10.70	12.00	14.40
4.75 mm	○	GLC-120	15.00	16.90	20.30
5.80 mm	○	GLC-150	23.15	26.00	31.20
6.80 mm	○	GLC-180	36.00	40.50	48.60

(Tolerance ± %5)

Rombo Gurmet
Rombo Curb

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



3.60 mm

GL1-80 7.45 8.35 10.00



4.70 mm

GL1-100 11.10 12.50 15.00



5.40 mm

GL1-120 16.20 18.20 21.85



6.85 mm

GL1-150 24.85 27.90 33.50



8.35 mm

GL1-180 33.90 38.10 45.70



11.20 mm

GL1-250 64.70 72.70 87.25

Rombo Gurmet Traşlı
Rombo Concave Curb



3.60 mm

GL1C-80 6.25 7.00 8.40



4.70 mm

GL1C-100 10.70 12.00 14.40



5.40 mm

GL1C-120 15.40 17.30 20.75



6.85 mm

GL1C-150 21.50 24.15 29.00



8.35 mm

GL1C-180 31.60 35.50 42.60



11.20 mm

GL1C-250 61.15 68.70 82.45

(Tolerance ± %5)

Hafif Geniş Gurmet Light Open Curb



3.90 mm



4.75 mm



5.50 mm

Hafif Geniş Gurmet Oluklu Light Open Curb



3.90 mm




4.75 mm



5.50 mm


Bombeli Gurmet Convex Curb



1.80 mm



2.40 mm



3.00 mm



3.75 mm

WEIGHT (45 cm - 18")

10 Kt

14 Kt

18 Kt



LGL-100

8,65

9,70

11,65



LGL-120

10,85

12,20

14,65



LGL-140

13,95

15,70

18,85



LGLC-100

7,75

8,70

10,44



LGLC-120

10,40

11,70

14,05



LGLC-140

12,75

14,30

17,10



GO-60

5,70

6,40

7,70



GO-80

9,55

10,75

12,90



GO-100

14,85

16,70

20,05



GO-120

21,85

24,55

29,45

(Tolerance \pm %5)

Uzun Gurmet Bismark Multiline Long Link Curb

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

2.40 mm

UGBS-40/2 3.55 4.00 4.80

□ 1.10 mm

UGBSK-40 3.65 4.10 4.90

● 1.40 mm

UGBSKO-40 3.15 3.55 4.25

Gurmet Tondo Curb Snake

GSNK-35 5.05 5.70 6.85

GSNK-40 6.30 7.10 8.50

GSNK-50 9.50 10.65 12.75

Gurmet Tondo Desenli Designed Curb Snake

GSNKS-35 4.90 5.50 6.60

GSNKS-40 6.10 6.85 8.22

GSNKS-50 9.35 10.50 12.60

GBSNKD-30 2.25 2.55 3.05

GBSNKD-40 4.50 5.10 6.10

Franko Figaro Figaro Franco

□ 1.25 mm

FGK-40 3.55 4.00 4.80

● 1.25 mm

FGKO-40 3.75 4.25 5.10

□ 1.25 mm

FGK5+1-40 3.55 4.00 4.80

● 1.25 mm

FGKO5+1-40 3.70 4.15 5.35












(Tolerance ± %5)



Uzun Gurmet Long Link Curb

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

	○	UG-35	1.20	1.35	1.60
1.35 mm					
	○	UG-40	1.60	1.80	2.15
1.55 mm					
	○	UG-50	2.55	2.85	3.40
1.72 mm					
	○	UG-60	3.45	3.90	4.70
2.25 mm					
	◐	UG-70	4.30	4.80	5.75
2.57 mm					
	◐	UG-80	6.05	6.80	8.15
3.00 mm					
	◐	UG-100	8.95	10.05	12.05
3.78 mm					
	◐	UG-120	11.90	13.40	16.05
4.45 mm					
	◐	UG-150	24.90	28.00	33.60
5.60 mm					
	◐	UG-180	26.90	30.25	36.30
6.70 mm					
	◐	UG-220	37.75	42.40	50.90
8.40 mm					


(Tolerance ± %5)



Figaro 3+1
Figaro 3+1

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



○ FG-35	1.55	1.75	2.10
○ FG-40	2.15	2.40	2.90
○ FG-50	3.05	3.45	4.15
○ FG-60	4.00	4.50	5.40
⊖ FG-70	5.60	6.30	7.55
⊖ FG-80	6.70	7.50	9.00
⊖ FG-100	9.95	11.20	13.45
⊖ FG-120	14.05	15.80	18.95
⊖ FG-150	22.20	24.95	29.95
⊖ FG-180	32.05	36.00	43.20
◐ FG-220	45.75	51.40	61.70
◐ FG-250	59.60	67.00	80.40
◐ FG-280	69.60	78.20	93.85
◐ FG-300	85.90	96.50	115.80

(Tolerance ± %5)

Oluklu Figaro 3+1
Concave Figaro 3+1

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



2.36 mm

○ FGC-60 3.75 4.20 5.05



2.70 mm

○ FGC-70 4.95 5.55 6.65



3.20 mm

○ FGC-80 6.25 7.00 8.40




3.90 mm

○ FGC-100 9.60 10.80 12.95




4.75 mm

○ FGC-120 13.35 15.00 18.00



5.80 mm

○ FGC-150 20.65 23.20 27.85



6.75 mm

○ FGC-180 30.25 34.00 40.80



8.40 mm

○ FGC-220 44.50 50.00 60.00



9.00 mm

○ FGC-250 55.90 62.80 75.35



11.00 mm

○ FGC-280 62.55 70.20 84.25



11.50 mm

○ FGC-300 82.85 93.10 111.70


(Tolerance ± %5)



Pave Figaro 3+1
Pave Figaro 3+1


WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



○ P.FG-60	4,00	4,50	5,40
○ P.FG-70	5,00	5,60	6,70
○ P.FG-80	6,25	7,00	8,40
○ P.FG-100	10,05	11,30	13,55
○ P.FG-120	13,25	14,90	17,90
○ P.FG-150	20,30	22,80	27,40
○ P.FG-180	28,40	31,95	38,35
○ P.FG-220	40,30	45,30	54,35
○ P.FG-250	55,20	62,00	74,40

Pave Gurnet
Pave Curb



○ P.G-70	6,30	7,10	8,50
○ P.G-80	8,55	9,60	11,50
○ P.G-100	13,50	15,20	18,25
○ P.G-120	17,80	20,00	24,00
○ P.G-150	27,55	30,95	37,15
○ P.G-180	34,50	38,80	45,55
○ P.G-200	41,60	46,80	56,00

(Tolerance ± %5)

Üç Renk Oluklu Gurmet
Tri - Color Concave Curb

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



3.20 mm

GC3R-80 8.80 9.90 11.90



3.90 mm

GC3R-100 13.95 15.70 18.85



4.75 mm

GC3R-120 18.70 21.00 25.20



5.90 mm

GC3R-150 25.58 28.75 34.50



6.20 mm

GC3R-180 36.50 41.00 49.20

Üç Renk Desenli Figaro 3+1
Tri - Color Pave Design Figaro 3+1



3.90 mm

PD.FGC3R-100 9.80 11.00 13.20



4.75 mm

PD.FGC3R-120 13.10 14.70 17.65



5.80 mm

PD.FGC3R-150 20.10 22.60 27.10



6.75 mm

PD.FGC3R-180 28.10 31.60 37.90

İki Renk Figaro 3+1
Two - Tone Figaro 3+1



3.20 mm

FGW-80 6.70 7.50 9.00



3.90 mm

FGW-100 10.25 11.50 13.80



4.75 mm

FGW-120 14.50 16.30 19.60



5.80 mm

FGW-150 20.65 23.20 27.85



6.75 mm

FGW-180 33.70 37.90 45.50

(Tolerance \pm %5)

Figaro 1+1
Figaro 1+1

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



1.28 mm

○ FG1-35 1,45 1,65 2,00



1.50 mm

○ FG1-40 1,75 1,95 2,35



1.90 mm

○ FG1-50 2,75 3,10 3,70



2.36 mm

○ FG1-60 3,75 4,20 5,05



2.70 mm

◐ FG1-70 5,35 6,00 7,20



3.20 mm

◐ FG1-80 6,75 7,60 9,10



3.90 mm

◐ FG1-100 9,70 10,90 13,10



4.75 mm

◐ FG1-120 14,70 16,55 19,85



5.80 mm

◐ FG1-150 21,35 24,00 28,80



6.75 mm

◐ FG1-180 29,40 33,00 39,60



8.40 mm

◑ FG1-220 36,35 40,85 49,00



9.75 mm

◑ FG1-250 43,60 49,00 58,80



11.15 mm

◑ FG1-280 51,60 58,00 70,00

(Tolerance ± %5)



Hafif Figaro 3+1
Light Figaro 3+1

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



LF-80 4,50 5,05 6,05



LF-100 7,10 7,95 9,55



LF-120 9,60 10,80 12,95



LF-140 13,15 14,80 17,75




LF-160 17,60 19,80 23,75



LF-180 20,20 22,70 27,25

Hafif Figaro Oluklu 3+1
Concave Light Figaro 3+1



LFC-80 4,25 4,80 5,75



LFC-100 7,10 8,00 9,60



LFC-120 10,50 11,80 14,15



LFC-140 12,00 13,50 16,00



LFC-160 15,85 17,80 21,35



LFC-180 22,80 25,60 30,70

(Tolerance ± %5)

Oluklu Figaro 1+1
Concave Figaro 1+1

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



2.70 mm

FG1C-70 4,80 5,40 6,50



3.20 mm

FG1C-80 6,00 6,75 8,10



3.90 mm

FG1C-100 8,75 9,80 11,75



4.75 mm

FG1C-120 12,65 14,20 17,05



5.80 mm

FG1C-150 19,60 22,00 26,40



6.75 mm

FG1C-180 26,70 30,00 36,00



8.40 mm

FG1C-220 32,95 37,00 44,40



9.75 mm

FG1C-250 40,90 46,00 55,20



11.15 mm

FG1C-280 49,00 55,00 66,00

Bombeli Figaro 3+1
Convex Figaro 3+1



3.00 mm

FGO-80 7,90 8,90 10,70



3.60 mm

FGO-100 11,65 13,10 15,70



4.50 mm

FGO-120 16,60 18,65 22,40

(Tolerance \pm %5)



Geniř Figaro 3+1
Larga Figaro 3+1

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



2.68 mm

○ FGLC-60 4.00 4.50 5.40



3.85 mm

○ FGLC-80 6.60 7.40 8.90



4.83 mm

○ FGLC-100 10.05 11.30 13.55



5.45 mm

○ FGLC-120 15.30 17.20 20.65



6.87 mm

○ FGLC-150 19.70 22.00 26.50



8.20 mm

○ FGLC-180 27.80 31.25 37.50



10.00 mm

○ FGLC-220 44.15 49.60 59.50



11.45 mm


○ FGLC-250 56.30 63.25 75.90

Pave Geniř Figaro 3+1
Pave Larga Figaro 3+1



2.68 mm

○ P.FGL-60 4.15 4.65 5.60



3.85 mm

○ P.FGL-80 6.65 7.45 8.95



4.83 mm

○ P.FGL-100 10.05 11.30 13.55



5.45 mm

○ P.FGL-120 13.90 15.60 18.70



6.87 mm

○ P.FGL-150 20.00 22.50 27.00

(Tolerance \pm %5)



Fantazi Figaro 3+1
Fancy Figaro 3+1

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



1.90 mm

○ DFG-50 2.60 2.90 3.50



2.36 mm

○ DFG-60 3.85 4.30 5.15



2.70 mm

○ DFG-70 5.35 6.00 7.20



3.20 mm

○ DFG-80 6.30 7.10 8.50



3.90 mm

○ DFG-100 9.85 11.05 13.25



4.75 mm

○ DFG-120 13.10 14.70 17.65



5.80 mm

○ DFG-150 20.90 23.50 28.20



6.75 mm

○ DFG-180 30.10 33.85 40.60



8.40 mm

◐ DFG-220 43.50 48.85 58.00



9.00 mm

◐ DFG-250 56.50 63.50 76.25



11.00 mm

◐ DFG-300 76.80 86.30 103.55


(Tolerance ± %5)



Fantazi Figaro 1+1
Fancy Figaro 1+1


WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt




○ DFG1-50	2,55	2,85	3,40
○ DFG1-60	3,20	3,60	4,30
○ DFG1-70	4,55	5,10	6,10
○ DFG1-80	5,95	6,70	8,05
○ DFG1-100	8,80	9,90	11,90

Fantazi Figaro 5+1
Fancy Figaro 5+1



○ DFG5-60	3,75	4,20	5,05
○ DFG5-70	5,35	6,00	7,20
○ DFG5-80	6,85	7,70	9,25
○ DFG5-100	10,30	11,60	13,90

Pave Fantazi Figaro 3+1
Pave Fancy Figaro 3+1



○ P.DFG-70	4,70	5,30	6,35
○ P.DFG-80	5,90	6,60	7,90
○ P.DFG-100	8,90	10,00	12,00

(Tolerance ± %5)

Desenli Ezme Figaro 3+1 Design Figaro 3+1

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



D1FG-80 6,70 7,50 9,00



D1FG-100 8,90 10,00 12,00



D1FG-120 15,05 16,90 20,30



D1FG-150 15,50 17,45 20,75



P.DFMAR-80 6,40 7,20 8,65



P.DFMAR-100 12,45 14,00 16,80



P.DFMAR-120 13,40 15,00 18,00

Pave Mariner Pave Flat Mariner



P.GMAR-60 4,35 4,90 5,90



P.GMAR-80 7,05 7,90 9,50



P.GMAR-100 11,40 12,80 15,35

Barlı Uzun Gurmet Long Link Bar Curb



UGBR-50 2,90 3,25 3,90



UGBR-60 4,00 4,50 5,40



UGBR-70 4,75 5,35 6,40




UGBR-100 12,05 13,55 16,25

(Tolerance \pm %5)

Figaro Mariner Flat Figaro Mariner


WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



○ FMAR-50	2.75	3.10	3.70
○ FMAR-60	4.05	4.50	5.40
○ FMAR-70	5.25	5.90	7.10
○ FMAR-80	7.20	8.10	9.70
○ FMAR-100	12.40	13.90	16.70
○ FMAR-120	15.40	17.30	20.75
○ FMAR-150	24.00	27.00	32.40
○ FMAR-180	33.35	37.45	44.95

Gourmet Mariner Flat Gourmet Mariner




○ GMAR-50	2.95	3.35	4.00
○ GMAR-60	4.45	5.00	6.00
○ GMAR-70	5.80	6.50	7.80
○ GMAR-80	8.40	9.45	11.35
○ GMAR-100	12.10	13.60	16.30
○ GMAR-120	16.65	18.70	22.45
○ GMAR-150	23.50	26.40	31.70
○ GMAR-180	37.55	42.20	50.65

(Tolerance ± %5)

Oluklu Figaro Mariner Concave Figaro Mariner

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



2.20 mm

2.60 mm

3.00 mm


3.70 mm

4.55 mm

5.40 mm

6.65mm

Oluklu Gurmet Mariner Concave Gurmet Mariner



2.20 mm

2.60 mm

3.00 mm

3.70 mm

4.55 mm

5.40 mm

6.65 mm

FMARC-60	3.90	4.40	5.30
FMARC-70	4.80	5.40	6.50
FMARC-80	6.75	7.60	9.10
FMARC-100	11.30	12.70	15.25
FMARC-120	15.90	17.85	21.40
FMARC-150	23.70	26.65	32.00
FMARC-180	30.60	34.40	41.30
GMARC-60	4.30	4.80	5.75
GMARC-70	5.40	6.10	7.30
GMARC-80	7.30	8.20	9.85
GMARC-100	12.05	13.55	16.25
GMARC-120	17.40	19.55	23.45
GMARC-150	24.70	27.75	33.30
GMARC-180	34.50	38.75	46.50

(Tolerance \pm %5)



Küp Zincir Box Chain

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

<input type="checkbox"/> 0.55 mm	VED-40	0.95	1.05	1.25
<input type="checkbox"/> 0.66 mm	VED-50	1.35	1.50	1.75
<input type="checkbox"/> 0.80 mm	VED-60	2.20	2.50	3.00
<input type="checkbox"/> 0.96 mm	VED-70	3.10	3.50	4.20
<input type="checkbox"/> 1.00 mm	VED-75	4.10	4.60	5.50
<input type="checkbox"/> 1.20 mm	VED-86	4.35	4.90	5.90
0.59 mm	VEDM-50	1.20	1.35	1.60
0.68 mm	VEDM-60	1.90	2.15	2.60
0.79 mm	VEDM-70	2.60	2.90	3.50
0.70 mm	VEDTW-40	0.85	0.95	1.15
0.84 mm	VEDTW-50	1.45	1.65	2.00
1.02 mm	VEDTW-60	2.00	2.25	2.70
1.22 mm	VEDTW-70	2.85	3.20	3.85
<input type="checkbox"/> 0.68 mm	VEDRD-50	1.35	1.50	1.80
<input type="checkbox"/> 0.79 mm	VEDRD-60	1.90	2.15	2.60
<input type="checkbox"/> 0.92 mm	VEDRD-70	2.70	3.00	3.60

(Tolerance \pm %5)



Alternatif Küp Zincir

Alternated Box Chain

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

0.60 mm	UVED-40	0.60	0.70	0.85
0.75 mm	UVED-48	0.85	0.95	1.15
0.88 mm	UVED-58	1.15	1.30	1.55
1.06 mm	UVED-72	1.70	1.90	2.30
0.75 mm	FVED-52(10+4)	1.15	1.30	1.55
0.90 mm	FVED-63(10+4)	1.80	2.00	2.40
1.05 mm	FVED-72(10+4)	2.60	2.90	3.50
1.10 mm	FOR-45/15	1.50	1.70	2.05
1.10 mm	FFOR-45/15(5+2)	1.25	1.40	1.70
1.30 mm	UDOC1-60/20	1.45	1.65	1.95

(Tolerance \pm %5)























Çesitli Fantazi Küp Zincir Assorted Fancy Box Chain

WEIGHT (45 cm - 18")

10 Kt

14 Kt

18 Kt

	 VEDBS1-70/2	6,60	7,40	8,85
2.05 mm				
	 VEDBS1-70/3	9,80	11,00	13,00
3.10 mm				
	 VEDBS1-70/4	13,35	15,00	18,00
4.10 mm				
	 VEDBS2-70/2	6,60	7,40	8,85
2.05 mm				
	 VEDBS2-70/3	9,80	11,00	13,20
3.10 mm				
	 VEDBS3-70/3	9,80	11,00	13,20
3.10 mm				
	 VED-400	36,80	41,35	49,60
3.40 mm				
	 VED8K-400	32,20	36,20	43,45
3.40 mm				
	 VEDRD-400	31,00	34,85	41,80
3.40 mm				
	 VEDD1-400	34,80	39,10	46,90
3.40 mm				

(Tolerance \pm %5)

Viyana
Viyana

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



2.70 mm

☞ DORO-50 5.80 6.50 7.80



3.75 mm

☞ DORO-70 11.25 12.65 15.20

Dorica
Dorica



2.10 mm

☞ DOROTW-30 2.40 2.70 3.25



2.90 mm

☞ DOROTW-40 3.90 4.40 5.30



3.30 mm

☞ DOROTW-50 5.40 6.10 7.30



4.70 mm

☞ DOROTW-70 11.20 12.60 15.10



2.10 mm

☞ DORO2TW-30 2.40 2.70 3.25



2.90 mm

☞ DORO2TW-40 3.90 4.40 5.30



3.30 mm

☞ DORO2TW-50 4.90 5.50 6.60



4.70 mm

☞ DORO2TW-70 11.20 12.60 15.10



2.10 mm

☞ DORO1TW-30 2.90 3.25 3.90



2.90 mm

☞ DORO1TW-40 3.90 4.40 5.30



3.30 mm

☞ DORO1TW-50 6.25 7.00 8.40



4.70 mm

☞ DORO1TW-70 11.50 12.90 15.50

(Tolerance ± %5)

Çeşitli Fantazi Zincirler Snail Fancy Chains

WEIGHT (45 cm - 18")

10 Kt

14 Kt

18 Kt



2.40 mm



ESP2-50L

4.40

4.95

5.95



3.35 mm



ESP2-70L

9.45

10.60

12.70



4.65 mm



ESP2-100L

19.20

21.60

25.90



3.35 mm



ESP2N-70

10.60

11.90

14.30



3.35 mm



ESP2Y-70

10.55

11.85

14.25



3.35 mm



ESP2D1-70

10.05

11.30

13.50



3.35 mm




ESP2D2-70

10.00

11.20

13.45



3.35 mm



ESP2D3-70

10.35

11.65

13.95



3.35 mm




ESP2D6-70

9.50

10.70

12.85



3.35 mm



P.ESP2D5-70

10.15

11.40

13.70



3.35 mm



ESP2H-70

11.70

13.15














15.80

(Tolerance \pm %5)

Çeşitli Fantazi Zincirler Snail Fancy Chains

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt


	○ ESP2C-40	3.35	3.75	4.50
1.70 mm				
	○ ESP2C-50	5.35	6.00	7.20
2.15 mm				
	○ ESP2C-70	10.45	11.75	14.10
3.35 mm				
	○ ESP2C-100	18.70	21.00	25.20
4.65 mm				
	○ P.ESP2C-40	3.20	3.60	4.30
1.70 mm				
	○ P.ESP2C-50	5.35	6.00	7.20
2.15 mm				
	○ P.ESP2C-70	10.60	11.90	14.30
3.35 mm				
	○ P.ESP2C-100	18.70	21.00	25.20
4.65 mm				
	○ ESP-40	3.40	3.85	4.60
1.88 mm				
	○ ESP-50	5.25	5.90	7.10
2.45 mm				
	○ ESPC-70	9.90	11.10	13.35
3.35 mm				
	○ ESPC-100	20.50	23.00	27.60
4.65 mm				
	○ ESPO-100	21.00	23.60	28.30
○ 4.65 mm				

(Tolerance ± %5)

Çeşitli Fantazi Zincirler Assorted Fancy Chains

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



	10 Kt	14 Kt	18 Kt
KPC-60	5,65	6,35	7,60
KPC-80	10,45	11,75	14,10
KPC-120	20,80	23,35	28,00
KPO-60	6,30	7,10	8,50
KPO-80	12,55	14,10	16,90
KPO-120	19,60	22,00	26,40
KG1D-80	9,70	10,90	13,10
KG2D-80	9,70	10,90	13,10
P,KP-60	6,15	6,90	8,30
P,KP-80	13,60	15,30	18,35
P,KP-120	19,85	22,30	26,75
KGO-80	10,40	11,70	14,05
KGC-80	9,70	10,90	13,10

(Tolerance ± %5)

Nonna
Grand Nonna


WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



1.80 mm

○ NON-30 2,10 2,40 2,90



2.40 mm

○ NON-40 3,80 4,25 5,10



3.05 mm

○ NON-50 5,85 6,55 7,85



3.75 mm

○ NON-60 7,95 8,95 10,75




4.40 mm

○ NON-70 10,70 12,00 14,40



5.00 mm

○ NON-80 14,20 15,95 19,15



6.15 mm

○ NON-100 20,05 22,55 27,05



7.94 mm

○ NON-130 28,00 31,45 37,75

Nonna Oluklu
Concave Grand Nonna



3.75 mm

○ NONC-60 7,10 8,00 9,60



4.40 mm

○ NONC-70 9,55 10,75 12,90



5.00 mm

○ NONC-80 12,65 14,20 17,05



6.15 mm

○ NONC-100 16,00 18,00 21,60



7.94 mm

○ NONC-130 31,85 35,80 42,95

(Tolerance ± %5)



Rambo *Rambo*

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



3.05 mm

RAM-50 5,30 5,95 7,15



4.87 mm

RAM-80 12,65 14,20 17,05



5.90 mm

RAM-100 19,20 21,60 25,95



7.35 mm

RAM-120 26,35 29,60 35,50



4.70 mm

RAMCDK-80 10,95 12,30 14,75



5.90 mm

RAMCDK-100 17,35 19,50 23,40



7.50 mm

RAMCDK-120 23,00 25,85 31,00

Flex Twist *Twisted Flex*



1.50 mm

FTW-20 1,85 2,10 2,50



2.15 mm

FTW-25 2,85 3,20 3,85



2.50 mm

FTW-30 4,10 4,60 5,50



3.00 mm

FTW-35 5,70 6,40 7,70



2.50 mm

FTWA-30 3,95 4,45 5,35



TRPTW-30 4,40 4,95 5,95



TRPTW-40 5,70 6,40 7,70

Pave Flex Twist *Pave Twisted Flex*



2.50 mm

P,FTW-30 4,10 4,60 5,50



3.00 mm

P,FTW-35 5,70 6,40 7,70

(Tolerance ± %5)



Duble
Double

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



1.50 mm

○ DB-30 2.40 2.70 3.25



2.10 mm


○ DB-40 3.95 4.45 5.35



2.60 mm

⊖ DB-50 5.75 6.45 7.75

Rombo
Rombo



1.30 mm

○ ROM-20 0.89 1.00 1.20



1.57 mm

○ ROM-25 1.35 1.50 1.80



1.80 mm

○ ROM-30 1.90 2.15 2.60




2.70 mm

⊖ ROM-40 4.10 4.60 5.50




3.70 mm

⊖ ROM-50 5.55 6.25 7.50




4.70 mm

⊖ ROM-60 7.80 8.75 10.50



3.20 mm

○ ROMUF-25 1.40 1.55 1.90



3.50 mm

○ ROMUF-35 2.45 2.75 3.30

(Tolerance ± %5)



Love
Love


WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



1.65 mm

○ LV-25 1,55 1,75 2,10



2.00 mm

○ LV-30 2,15 2,40 2,90



2.35 mm

○ LV-35 3,05 3,40 4,10



2.70 mm

○ LV-40 3,55 4,00 4,80



3.35 mm

○ LV-50 5,25 5,90 7,10



4.10 mm

○ LV-60 7,75 8,70 10,45



3.80 mm

○ LVX1-60 5,95 6,70 8,05



4.10 mm

○ LVV-60 5,15 5,80 6,95



4.30 mm

○ LVXBF-60 6,05 6,90 8,30



1.45 mm

○ KLBO-30 2,00 2,30 2,75



2.95 mm

○ KLBO-60 7,65 8,60 10,30



2.90 mm

○ KLBC-60 8,80 9,90 11,90

(Tolerance ± 5%)



Replacement Replacement

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



0.65 mm

○ 5R 0.45 0.50 0.60



0.70 mm

○ 5.5R 0.45 0.50 0.60



0.75 mm

○ 6R 0.50 0.55 0.65



0.85 mm

○ 7R 0.65 0.75 0.90




1.20 mm

○ 8R 0.65 0.75 0.90




1.35 mm

○ 11R 1.15 1.30 1.55




0.90 mm

○ 7RTD 1.00 1.10 1.30



1.00 mm

○ 8RTD 1.05 1.15 1.40



0.70 mm

○ DKTH+16 0.40 0.45 0.55




0.90 mm

○ DKTH+20 0.65 0.75 0.90



1.10 mm

○ DKTH+25 0.95 1.05 1.25



1.35 mm

○ DKTH+30 1.35 1.50 1.80



1.80 mm

○ DKTH+40 2.20 2.45 2.95
















(Tolerance ± %5)



Çesitli Aks Zincir Assorted AKS Chain

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

	○ AKS-25	2,30	2,60	3,10
1,40 mm				
	○ AKS-30	3,85	4,35	5,20
1,70 mm				
	○ AKS-35	5,15	5,80	6,95
2,00 mm				
	○ AKS-40	5,75	6,50	7,80
2,25 mm				
	○ AKS-50	9,65	10,85	13,00
2,90 mm				
	○ AKS-25RB1	2,30	2,60	3,10
1,40 mm				
	○ AKS-30RB1	3,85	4,35	5,20
1,70 mm				
	○ AKS-35RB1	5,15	5,80	6,95
2,00 mm				
	○ AKS-40RB1	5,75	6,50	7,80
2,25 mm				
	○ AKS-50RB1	9,65	10,85	13,00
2,90 mm				
	○ AKS-25RB2	2,30	2,60	3,10
1,40 mm				
	○ AKS-30RB2	3,85	4,35	5,20
1,70 mm				
	○ AKS-35RB2	5,15	5,80	6,95
2,00 mm				
	○ AKS-40RB2	5,75	6,50	7,80
2,25 mm				
	○ AKS-50RB2	9,65	10,85	13,00
2,90 mm				
















(Tolerance \pm %5)



Çesitli Aks Zincir Assorted AKS Chain

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt
















	AKS1-25	2.60	2.90	3.50
1.40 mm				
	AKS1-30	3.85	4.35	5.20
1.70 mm				
	AKS1-35	5.10	5.70	6.85
2.00 mm				
	AKS1-40	5.75	6.50	7.80
2.25 mm				
	AKS1-50	10.05	11.30	13.55
2.90 mm				
	AKS1-25RB1	2.60	2.90	3.50
1.40 mm				
	AKS1-30RB1	3.85	4.35	5.20
1.70 mm				
	AKS1-35RB1	5.10	5.70	6.85
2.00 mm				
	AKS1-40RB1	5.75	6.50	7.80
2.25 mm				
	AKS1-50RB1	10.05	11.30	13.55
2.90 mm				
	AKS1-25RB2	2.60	2.90	3.50
1.40 mm				
	AKS1-30RB2	3.85	4.35	5.20
1.70 mm				
	AKS1-35RB2	5.10	5.70	6.85
2.00 mm				
	AKS1-40RB2	5.75	6.50	7.80
2.25 mm				
	AKS1-50RB2	10.05	11.30	13.55
2.90 mm				

(Tolerance \pm %5)

Çesitli Aks Zincir Assorted AKS Chain

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

	○ AKS2-25	2,30	2,60	3,10
1.40 mm				
	○ AKS2-30	3,85	4,35	5,20
1.70 mm				
	○ AKS2-35	5,00	5,60	6,70
2.00 mm				
	○ AKS2-40	5,75	6,50	7,80
2.25 mm				
	○ AKS2-50	10,05	11,30	13,55
2.90 mm				
	○ AKS2-25RB1	2,30	2,60	3,10
1.40 mm				
	○ AKS2-30RB1	3,85	4,35	5,20
1.70 mm				
	○ AKS2-35RB1	5,00	5,60	6,70
2.00 mm				
	○ AKS2-40RB1	5,75	6,50	7,80
2.25 mm				
	○ AKS2-50RB1	10,05	11,30	13,55
2.90 mm				
	○ AKS2-25RB2	2,30	2,60	3,10
1.40 mm				
	○ AKS2-30RB2	3,85	4,35	5,20
1.70 mm				
	○ AKS2-35RB2	5,00	5,60	6,70
2.00 mm				
	○ AKS2-40RB2	5,75	6,50	7,80
2.25 mm				
	○ AKS2-50RB2	10,05	11,30	13,55
2.90 mm				

(Tolerance ± %5)



Serpentina *Serpentine*

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

0.80 mm	○ SRPF-25	0.85	0.95	1.15
0.90 mm	○ SRPF-30	1.15	1.30	1.55
1.05 mm	○ SRPF-35	1.85	2.10	2.50
1.15 mm	○ SRPF-40	2.10	2.35	2.80
1.50 mm	○ SRPF-50	3.05	3.45	4.15
1.80 mm	○ SRPF-60	4.10	4.60	5.50
2.07 mm	○ SRPF-70	5.50	6.20	7.45
2.40 mm	○ SRPF-80	8.00	9.00	10.80
2.95 mm	○ SRPF-100	12.75	14.30	17.15
3.65 mm	○ SRPF-120	16.45	18.50	22.00
4.40 mm	○ SRPF-150	23.75	26.70	32.00
2.65 mm	○ SRPFS-100	11.65	13.10	15.70
2.20 mm	○ SRPF1-80	6.40	7.20	8.65

Serpentina Twist *Twisted Serpentine*

0.93 mm	○ SRPT-30	1.05	1.20	1.45
1.12 mm	○ SRPT-35	1.40	1.55	1.90
1.25 mm	○ SRPT-40	1.80	2.00	2.40
1.65 mm	○ SRPT-50	2.95	3.30	3.95














(Tolerance ± %5)



Twist Singapore

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

	○	TW2-20	0.80	0.90	1.10
0.85 mm					
	○	TW2-25	1.30	1.45	1.75
1.20 mm					
	○	TW2-30	2.10	2.35	2.85
1.70 mm					
	○	TW2-35	3.05	3.40	4.10
2.00 mm					
	○	TW-17	0.70	0.80	0.95
0.85 mm					
	○	TW-20	0.90	1.00	1.20
1.02 mm					
	○	TW-25	1.35	1.50	1.80
1.25 mm					
	○	TW-30	2.25	2.50	3.00
1.50 mm					
	○	TW-35	2.95	3.30	3.95
1.82 mm					
	○	TW-40	3.75	4.20	5.05
2.02 mm					
	⊗	TW-50	5.55	6.25	7.50
2.55 mm					
	⊗	TW-60	7.20	8.10	9.70
3.07 mm					
	⊗	TW-70	10.35	11.65	14.00
3.56 mm					

(Tolerance ± %5)



Duble Makina Halatı Double Rope

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

0.90 mm	○ DR-17	0,95	1,05	1,25
1.15 mm	○ DR-20	1.30	1.45	1.75
1.55 mm	○ DR-25	1.85	2.10	2.50
1.80 mm	○ DR-30	2.60	2.90	3.50
2.00 mm	○ DR-35	3.55	4.00	4.80
2.20 mm	○ DR-40	4.90	5.50	6.60
1.00 mm	○ DRD-20	1.15	1.30	1.55
1.40 mm	○ DRD-25	1.85	2.10	2.50
1.65 mm	○ DRD-30	2.30	2.60	3.10
1.85 mm	○ DRD-35	3.40	3.85	4.60
2.00 mm	○ DRD-40	4.40	4.95	5.95
1.05 mm	○ CRD-25	2.20	2.45	2.95
1.10 mm	○ CR-25	2.25	2.55	3.05

Makina Halatı D/C Chinese Rope

(Tolerance ± %5)



Kuş Kafesi Popcorn

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

1.40 mm	○	PC-140	2,00	2,25	2,70
1.60 mm	○	PC-160	2,65	3,00	3,60
1.85 mm	○	PC-180	3,40	3,80	4,55
2.35 mm	○	PC-230	4,70	5,30	6,35
2.50 mm	○	PC-250	5,35	6,00	7,20
2.85 mm	○	PC-280	6,50	7,30	8,75
1.40 mm	○	PCD-140	1,80	2,00	2,40
1.60 mm	○	PCD-160	2,60	2,95	3,55
1.85 mm	○	PCD-180	3,40	3,80	4,55
2.35 mm	○	PCD-230	5,15	5,80	6,95
2.50 mm	○	PCD-250	5,75	6,50	7,80
2.85 mm	○	PCD-280	4,80	5,40	6,50
1.20 mm	○	PCH-120	2,80	3,15	3,80
1.50 mm	○	PCH-150	3,35	3,75	4,50
1.90 mm	○	PCH-190	4,75	5,35	6,40
1.30 mm	○	FOTK-80	3,55	4,00	4,80
1.10 mm	○	FOTR-80	3,80	4,25	5,10














(Tolerance ± %5)



Kuş Kafesi Popcorn

WEIGHT (45 cm - 18")


10 Kt 14 Kt 18 Kt

	PCM-140	2.60	2.90	3.50
1.40 mm				
	PCM-160	3.20	3.60	4.30
1.65 mm				
	PCM-180	3.45	3.90	4.70
1.85 mm				
	PCRS-200	5.00	5.60	6.70
○ 2.00 mm				
	PCSS-140	2.50	2.85	3.40
□ 1.40 mm				
	PCSS-160	4.00	4.50	5.40
□ 1.60 mm				
	PCSS-200	6.25	7.00	8.40
□ 2.00 mm				
	PCOS-400	9.70	10.90	13.10
□ 4.00 mm				
	PCSS3R-160/3	13.10	14.75	17.70
5.10 mm				
	PCSSW-160/2	8.90	10.00	12.10
4.80 mm				
	PCC1-290	10.85	12.20	14.65
3.00 mm				
	PCC-290	6.45	7.25	8.70
3.00 mm				
	KKO-260	5.50	6.20	7.45
2.70 mm				

(Tolerance ± %5)



Klasik Forse Forzentina



1.00 mm

1.37 mm

1.82 mm

2.15 mm


2.92 mm

3.75 mm

4.60 mm

5.35 mm

Klasik Forse Traşlı D/C Forzentina



0.98 mm

1.32 mm

1.57 mm

1.96 mm

2.60 mm

3.20 mm

3.95 mm

4.80 mm

WEIGHT (45 cm - 18")

10 Kt

14 Kt

18 Kt







	<u>10 Kt</u>	<u>14 Kt</u>	<u>18 Kt</u>
○ FOR-30	1.20	1.35	1.60
○ FOR-40	2.20	2.50	3.00
○ FOR-50	3.65	4.10	4.90
○ FOR-60	5.50	6.20	7.45
○ FOR-80	9.05	10.15	12.20
○ FOR-100	12.25	13.75	16.50
○ FOR-120	17.80	20.00	24.00
○ FOR-140	24.50	27.50	33.00
○ FORD-30	1.05	1.20	1.45
○ FORD-40	1.80	2.00	2.40
○ FORD-50	3.20	3.60	4.30
○ FORD-60	4.55	5.10	6.10
○ FORD-80	6.70	7.50	9.00
○ FORD-100	8.85	9.95	11.95
○ FORD-120	15.60	17.50	21.00
○ FORD-140	21.60	24.30	29.15

(Tolerance \pm %5)

Forse Barlı Anchor Chain

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

	○ FORBR-30	1.40	1.60	1.90
1.00 mm				
	○ FORBR-40	2.65	3.00	3.60
1.40 mm				
	○ FORBR-50	4.45	5.00	6.00
1.90 mm				
	○ FORBR-60	6.05	6.80	8.15
2.02 mm				
	○ FORBR-80	8.70	9.80	11.75
2.95 mm				
	○ FORBR-100	14.45	16.25	19.50
3.67 mm				

Forse Barlı Traşlı D/C Anchor Chain

	○ FORDBR-30	1.25	1.40	1.70
0.95 mm				
	○ FORDBR-40	2.25	2.55	3.05
1.25 mm				
	○ FORDBR-50	3.75	4.20	5.05
1.50 mm				
	○ FORDBR-60	5.00	5.65	6.80
1.95 mm				
	○ FORDBR-80	7.90	8.90	10.70
2.58 mm				
	○ FORDBR-100	12.30	13.80	16.60
3.00 mm				
	○ FORDBR-120	19.60	22.00	26.40
4.00 mm				
	○ FORDBR-140	25.45	28.60	34.35
4.85 mm				

(Tolerance \pm %5)

Desenli Klasik Forse
Design *Forzentina*

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



FOR-80S 7.65 8.60 10.30



FOR-100SD 13.00 14.60 17.50

Pave Klasik Forse
Pave *Forzentina*



1.92 mm

P.FORD-50 3.45 3.90 4.70



2.32 mm

P.FORD-60 4.55 5.10 6.10



3.33 mm

P.FORD-80 7.10 8.00 9.60

Forse Brill Ezme
Flat Anchor Chain (Brill)



1.50 mm

FORBF-40 0.90 1.00 1.20



1.92 mm

FORBF-50 1.65 1.85 2.20



2.30 mm

FORBF-60 2.15 2.45 2.95

Pave Forse Barlı
Pave Anchor Chain



2.02 mm

P.FORBRD-60 4.60 5.15 6.20



2.80 mm

P.FORBRD-80 7.85 8.80 10.55



3.60 mm















P.FORBRD-100 13.55 15.25 18.30

(Tolerance ± %5)

Uzun Forse Traşlı D/C Lonk Anchor Chain

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt













	○ UFORD-30	1.05	1.20	1.45
1.00 mm				
	○ UFORD-50	2.50	2.85	3.40
1.95 mm				
	○ UFORD-60	3.25	3.65	4.40
2.20 mm				
	○ UFORD-80	6.05	6.80	8.15
3.10 mm				
	○ UFORD-100	9.70	10.90	13.05
4.00 mm				
	○ UFORD2BR-50	2.70	3.05	3.65
1.80 mm				
	○ UFORD2BR-60	4.40	4.95	5.95
2.30 mm				
	○ UFORD2BR-80	8.40	9.40	11.30
3.00 mm				
	○ UFORD2BR-100	11.25	12.65	15.20
3.70 mm				
	○ UFOR2MARZ-40	1.80	2.00	2.40
1.60 mm				
	○ UFOR2MARZ-50	2.40	2.70	3.25
1.95 mm				
	○ UFOR2MARZ-60	4.10	4.60	5.50
2.35 mm				
	○ UFOR2MARZ-80	6.80	7.65	9.15
3.15 mm				
	○ UFOR2MARZ-100	10.00	11.25	13.50
4.10 mm				

(Tolerance ± %5)

Mariner Flat Anchor

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

	○ FORMARZ-30	1.05	1.20	1.45
1.08 mm				
	○ FORMARZ-40	1.40	1.60	1.90
1.36 mm				
	○ FORMARZ-50	3.00	3.35	4.00
1.86 mm				
	○ FORMARZ-60	4.20	4.75	5.70
2.25 mm				
	○ FORMARZ-80	7.10	8.00	9.60
3.00 mm				
	○ FORMARZ-100	9.90	11.10	13.30
3.70 mm				
	○ FORMARZ-120	14.70	16.50	19.80
4.40 mm				
	○ FORMARZ-150	23.95	26.90	32.30
5.60 mm				
	○ FORMARZO-80	11.00	12.40	14.90
3.60 mm				
	○ FORMARZO-100	12.55	14.10	16.90
3.70 mm				
	○ FORMARZO-120	13.65	15.35	18.40
4.30 mm				
	○ FORMARZO-140	18.80	21.10	25.30
5.10 mm				

(Tolerance ± %5)




Fantazi Forse Barlı Zincir

Fancy Forse Chain

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



















DFORBR-30	1.30	1.50	1.80
DFORBR-40	2.20	2.50	3.00
DFORBR-50	3.80	4.25	5.10
DFORBR-60	4.95	5.60	6.70
DFORBR-80	8.00	9.00	10.80
DFORBR-100	12.65	14.20	17.05
DFORBRF-80	7.55	8.50	10.20
DFORBRF1-60	4.30	4.85	5.80
DFORBRF1-80	6.75	7.60	9.10
DFORBRF1-100	10.85	11.85	14.20
DFORBRF1-120	17.45	19.60	23.50
DFORBRF1-140	24.85	27.90	33.50

(Tolerance \pm %5)

Çeşitli Forse Barlı Zincir Assorted Anchor Chain

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

	⊖ VALD1-60	4.70	5.30	6.35
2.40 mm				
	⊖ VALD2-60	4.70	5.30	6.35
2.40 mm				
	⊖ VALD6-60	4.70	5.30	6.35
2.40 mm				
	⊖ VALD7-60	4.40	4.95	5.95
2.40 mm				
	⊖ VALD9-60	4.40	4.95	5.95
2.40 mm				
	⊖ VALD-60	4.15	4.65	5.60
2.40 mm				
	⊖ VALD-80	8.55	9.60	11.55
3.50 mm				
	⊖ VALD-100	10.95	12.30	14.75
4.00 mm				
	⊖ VALD-120	16.10	18.10	21.75
5.00 mm				
	⊖ VALDC-80	7.20	8.10	9.70
3.50 mm				
	⊖ VALDC-100	9.70	10.90	13.10
4.00 mm				
	⊖ VALDC-120	13.25	14.90	17.90
5.00 mm				
	⊖ VAL2BR1D-60	3.75	4.20	5.05
2.40 mm				
	⊖ VAL2BR1D-80	6.60	7.40	8.90
3.50 mm				
	⊖ VAL2BR1D-100	10.40	11.70	14.05
4.00 mm				
	⊖ VAL2BR1D-120	15.15	17.05	20.45
5.00 mm				

(Tolerance ± %5)

Siki Forse Arabesk Oval Arabesque Oval

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



○ 1.70 mm

○ CABARO-40 2,30 2,60 3,10



○ 2.85 mm

○ CABARO-80 8,45 9,50 11,40



○ 3.55 mm

○ CABARO-100 12,00 13,50 16,20



○ 4.00 mm

○ CABARO-120 15,05 16,90 20,30



○ 4.70 mm

○ CABARO-140 24,40 27,40 32,90



○ 5.75 mm

○ CABARO-160 33,80 38,00 45,60



2.80 mm

○ CABHD-80 9,45 10,60 12,70



2.80 mm

○ CABUD-80 6,50 7,30 8,75

Damla Drop



2.30 mm

○ DRPBS-2 7,30 8,20 9,85



○ DRP-01 3,85 4,30 5,15



4.60 mm

○ DRP-02 8,70 9,75 11,70



6.90 mm

○ DRP-03 13,90 15,60 18,70



9.20 mm

○ DRP-04 20,90 23,50 28,20

(Tolerance ± %5)



Sıkı Forse Cable

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

0.70 mm	○	CAB-20	0.80	0.90	1.10
0.90 mm	○	CAB-25	1.20	1.35	1.60
1.05 mm	○	CAB-30	1.55	1.75	2.10
1.30 mm	○	CAB-35	2.40	2.70	3.25
1.50 mm	○	CAB-40	2.80	3.15	3.80
1.50 mm	○	CAB-50	4.65	5.25	6.30
2.00 mm	○	CAB-60	6.80	7.65	9.20
2.20 mm	○	CAB-80	11.35	12.75	15.30
3.00 mm	○	CAB-80	11.35	12.75	15.30

Sıkı Forse Traşlı D/C Cable

0.65 mm	○	CABD-20	0.65	0.75	0.90
0.80 mm	○	CABD-25	1.05	1.20	1.45
0.95 mm	○	CABD-30	1.40	1.60	1.90
1.20 mm	○	CABD-35	2.00	2.25	2.70
1.25 mm	○	CABD-40	2.40	2.70	3.25
1.55 mm	○	CABD-50	3.75	4.20	5.05
1.90 mm	○	CABD-60	5.55	6.25	7.50
2.50 mm	○	CABD-80	9.55	10.75	12.90

Sıkı Forse Üst Traşlı Flat D/C Cable















1.18 mm	○	CABD1-30	1.40	1.60	1.90
1.55 mm	○	CABD1-40	2.40	2.70	3.25
1.90 mm	○	CABD1-50	3.80	4.30	5.15

(Tolerance ± %5)















Uzun Sıkı Forse Long Cable

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

 1.20 mm	 UCAB-30	1.75	2.00	2.40
 1.35 mm	 UCAB-35	2.20	2.45	2.95
 1.60 mm	 UCAB-40	2.65	3.00	3.60
 2.00 mm	 UCAB-50	4.10	4.60	5.50
 2.45 mm	 UCAB-60	5.50	6.15	7.40
 3.25 mm	 UCAB-80	9.95	11.15	13.40
 4.05 mm	 UCAB-100	15.25	17.15	20.60

Uzun Sıkı Forse Traşlı D/C Long Cable

 1.05 mm	 UCABD-30	1.55	1.75	2.10
 1.15 mm	 UCABD-35	1.75	1.95	2.35
 1.50 mm	 UCABD-40	2.30	2.60	3.10
 1.80 mm	 UCABD-50	3.56	4.00	4.80
 2.30 mm	 UCABD-60	4.80	5.40	6.50
 3.00 mm	 UCABD-80	9.15	10.30	12.35
 3.80 mm	 UCABD-100	13.70	15.40	18.50

(Tolerance \pm %5)



Sıkı Forse Brill Ezme Cable Brill

10 Kt 14 Kt 18 Kt

0.73 mm

0.92 mm

1.10 mm

1.30 mm

1.55 mm

1.90 mm

1.95 mm

2.60 mm

5.00 mm

Sıkı Forse Küp Square Cable

□ 0.32 mm

□ 0.42 mm

□ 0.50 mm

□ 0.65 mm

□ 0.85 mm

□ 0.95 mm

□ 1.32 mm

Sıkı Forse Küp Twist Twisted Square Cable

○ CABBF-20	0.85	0.95	1.15
○ CABBF-25	1.25	1.40	1.65
○ CABBF-30	1.80	2.00	2.40
○ CABBF-35	2.55	2.85	3.45
○ CABBF-40	2.85	3.20	3.85
○ CABBF-50	4.15	4.70	5.65
○ CABDR-30	3.05	3.45	4.15
○ CABDR-40	5.60	6.30	7.55
○ CABDF-60/2	12.90	14.50	17.40
○ CABK-20	0.60	0.70	0.85
○ CABK-25	1.05	1.15	1.35
○ CABK-30	1.25	1.40	1.65
○ CABK-40	2.20	2.45	2.95
○ CABK-50	3.10	3.50	4.20
○ CABK-60	3.95	4.45	5.35
○ CABK-80	8.00	9.00	10.80
○ CABKATW-25	0.80	0.90	1.10
○ CABKATW-30	1.25	1.40	1.65
○ CABKATW-40	2.05	2.30	2.75
○ CABKTW-40	1.95	2.20	2.65
○ CABKTW-50	3.10	3.50	4.20

(Tolerance ± %5)

Sıkı Forse Yuvarlak Round Cable

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

0.40 mm

○ FORR-20 0.70 0.80 0.95

0.50 mm

○ FORR-25 1.05 1.20 1.45

0.65 mm

○ FORR-30 1.40 1.60 1.90

0.80 mm

○ FORR-40 2.65 3.00 3.60

1.05 mm

○ FORR-50 4.10 4.60 5.50

1.35 mm

○ FORR-60 5.35 6.00 7.20

1.75 mm

○ FORR-80 8.95 10.05 12.05

Sıkı Forse Yuvarlak Traşlı D/C Round Cable

0.40 mm

○ FORRD-20 0.65 0.75 0.90

0.50 mm

○ FORRD-25 0.85 0.95 1.15

0.65 mm

○ FORRD-30 1.50 1.70 2.05

0.80 mm

○ FORRD-40 2.35 2.65 3.20

1.05 mm

○ FORRD-50 3.55 4.00 4.80

1.35 mm

○ FORRD-60 4.55 5.10 6.10

1.75 mm

○ FORRD-80 8.30 9.30 11.15

0.65 mm

○ FORRD2-30 1.25 1.40 1.70

0.80 mm

○ FORRD2-40 2.40 2.70 3.25

1.05 mm

○ FORRD2-50 3.65 4.10 4.90

Pave Yuvarlak Sıkı Forse Pave Round Cable

1.05 mm

○ P.FORRD-50 3.65 4.10 4.90

1.35 mm

○ P.FORRD-60 4.45 5.00 6.00

1.75 mm

○ P.FORRD-80 8.45 9.50 11.40

(Tolerance ± %5)



Spike Wheat

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

0.83 mm

○ SPR-20 1.15 1.30 1.60

1.02 mm

○ SPR-25 1.80 2.00 2.40

1.40 mm

○ SPR-30 3.40 3.80 4.55

1.82 mm

○ SPR-40 4.55 5.10 6.10

2.25 mm

○ SPR-50 7.05 7.90 9.50

2.55 mm

○ SPR-60 10.15 11.40 13.70

3.25 mm

○ SPR-80 17.80 20.00 24.00

4.50 mm

○ SPR-100 26.50 29.75 35.70

3.60 mm

○ SPR-80S 13.90 15.65 18.75

Spike Traşlı D/C Wheat

0.65 mm

○ SPRD-20 0.95 1.10 1.30

0.85 mm

○ SPRD-25 1.60 1.80 2.15

1.05 mm

○ SPRD-30 3.00 3.40 4.10

1.68 mm

○ SPRD-40 4.10 4.60 5.50

1.73 mm

○ SPRD-50 6.20 7.00 8.40

2.10 mm

○ SPRD-60 8.90 10.00 12.00

3.00 mm

○ SPRD-80 16.40 18.40 22.10

Pave Spike Pave Wheat

1.80 mm

○ P,SPRD-50 6.25 7.00 8.40

2.20 mm

○ P,SPRD-60 8.90 10.00 12.00

3.00 mm

○ P,SPRD-80 15.90 17.85 21.40






(Tolerance ± %5)







Ezme Spike Flat Wheat

WEIGHT (45 cm - 18")









10 Kt 14 Kt 18 Kt

	○ SPFD-40	3,80	4,25	5,10
1.80 mm				
	○ SPFD-50	6,20	6,95	8,35
2.24 mm				
	○ SPFD-60	9,25	10,40	12,50
2.60 mm				
	○ SPFD-80	16,10	18,10	21,70
3.65 mm				
	○ SPFD-100	22,25	25,00	30,00
4.65 mm				

Pave Ezme Spike Pave Flat Wheat

	○ P.SPFD-40	3,75	4,20	5,05
1.80 mm				
	○ P.SPFD-50	5,85	6,60	7,90
2.24 mm				
	○ P.SPFD-60	9,35	10,50	12,60
2.60 mm				
	○ P.SPFD-80	15,15	17,00	20,40
3.65 mm				

Kare Spike Square Wheat

	○ SPRK-20	0,80	0,90	1,10
□ 0.40 mm				
	○ SPRK-25	1,20	1,35	1,60
□ 0.50 mm				
	○ SPRK-30	2,85	3,20	3,85
□ 0.80 mm				
	○ SPRK-40	5,10	5,70	6,85
□ 1.00 mm				
	○ SPRK-50	5,35	6,00	7,20
□ 1.15 mm				
	○ SPRK-60	9,25	10,40	12,50
□ 1.28 mm				
	○ SPRTDK-25	1,95	2,20	2,65
□ 1.00 mm				
	○ SPRTDK-30	2,65	3,00	3,60
□ 1.30 mm				

(Tolerance ± %5)

Tondo Snake

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

0.65 mm	○ SNK-17	1.60	1.80	2.15
0.78 mm	○ SNK-20	2.30	2.60	3.10
0.98 mm	○ SNK-25	3.45	3.85	4.60
1.15 mm	○ SNK-30	4.75	5.35	6.40
1.35 mm	○ SNK-35	6.55	7.35	8.80
1.55 mm	○ SNK-40	8.30	9.30	11.15
1.92 mm	○ SNK-50	12.45	14.00	16.80
2.30 mm	○ SNK-60	17.55	19.70	23.65

Tondo Desenli Designed Snake

0.78 mm	○ SNKS-20	2.15	2.40	2.90
0.98 mm	○ SNKS-25	3.30	3.70	4.45
1.15 mm	○ SNKS-30	4.70	5.30	6.35
1.35 mm	○ SNKS-35	6.25	7.00	8.40
1.55 mm	○ SNKS-40	7.65	8.60	10.30
1.92 mm	○ SNKS-50	12.55	14.10	16.90
2.30 mm	○ SNKS-60	17.60	19.80	23.75

(Tolerance ± %5)



Pave Tondo Desenli Pave Designed Snake

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

0.78 mm	○ P.SNKS-20	2,25	2,50	3,00
0.98 mm	⊖ P.SNKS-25	3,30	3,70	4,45
1.15 mm	⊖ P.SNKS-30	4,60	5,15	6,20
1.35 mm	⊖ P.SNKS-35	5,85	6,55	7,85
1.55 mm	⊖ P.SNKS-40	8,15	9,15	11,00
1.92 mm	⊖ P.SNKS-50	11,65	13,10	15,70
2.65 mm	⊖ P.SNKS-60	15,15	17,00	20,40

Alternatif Pave Tondo Alternated Pave Snake

0.98 mm	⊖ P.SNKAD-25	3,30	3,70	4,45
1.15 mm	⊖ P.SNKAD-30	4,55	5,10	6,10
1.35 mm	⊖ P.SNKAD-35	6,30	7,10	8,50
1.55 mm	⊖ P.SNKAD-40	7,90	8,85	10,60
1.92 mm	⊖ P.SNKAD-50	13,60	15,30	18,35
2.65 mm	⊖ P.SNKAD-60	17,35	19,50	23,40

Oval Tondo Oval Snake

○ 1.70 mm	○ OV-30	2,85	3,20	3,85
○ 1.95 mm	○ OV-35	4,65	5,20	6,25
○ 2.28 mm	○ OV-40	5,70	6,40	7,70
○ 2.80 mm	⊖ OV-50	8,75	9,85	11,80
○ 3.30 mm	⊖ OV-60	11,45	12,85	15,40

(Tolerance ± %5)

DK Kare Square DK

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

□ 0.51mm

DK4K-17 1.25 1.40 1.70

□ 0.60 mm

DK4K-20 1.80 2.00 2.40

□ 0.73 mm

DK4K-25 2.80 3.15 3.80

□ 0.85 mm

DK4K-30 3.70 4.15 5.00

□ 1.05 mm

DK4K-35 5.05 5.70 6.85

□ 1.22 mm

DK4K-40 6.60 7.40 8.90

□ 1.50 mm

DK4K-50 10.20 11.50 13.80

□ 1.05 mm

DK4KDD-30 3.75 4.20 5.05

0.77 mm

GK4K1-30 2.85 3.20 3.85

1.05 mm

GK4K1-40 5.10 5.75 6.90

0.77 mm

GK4K1AT-30 2.75 3.10 3.70

1.05 mm

GK4K1AT-40 5.05 5.65 6.80

DK Sekiz Köşe Tondo Eight Sided DK

○ 0.57 mm

DK8K-20 1.55 1.75 2.10

○ 0.60 mm

DK8K-25 2.40 2.70 3.25

○ 0.87 mm

DK8K-30 2.85 3.20 3.85

○ 1.05 mm

DK8K-35 4.55 5.10 6.10

○ 1.22 mm

DK8K-40 5.85 6.60 7.90

○ 1.50 mm

DK8K-50 8.35 9.40 11.30

(Tolerance ± %5)



Tondo Janjan Glitter Snake

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

0.78 mm

○ SNKJ-20 2.05 2.30 2.75

0.98 mm

○ SNKJ-25 3.20 3.60 4.30

1.15 mm

○ SNKJ-30 4.55 5.10 6.10

1.35 mm

○ SNKJ-35 6.10 6.85 8.20

1.55 mm

○ SNKJ-40 7.50 8.40 10.10

1.92 mm

○ SNKJ-50 12.00 13.45 16.15

2.30 mm

○ SNKJ-60 16.65 18.70 22.45

Tondo Ezme Flat Snake

1.60 mm

○ SNKF-30 3.80 4.30 5.15

2.02 mm

○ SNKF-40 6.95 7.80 9.35

2.50 mm

○ SNKF-50 9.45 10.60 12.70

Çift Halka Ezme Double Curb Flat

0.95 mm

○ DK-20 0.90 1.00 1.20

1.10 mm

○ DK-25 1.20 1.35 1.60

1.40 mm

○ DK-30 1.70 1.95 2.35

(Tolerance ± %5)



WEIGHT (45 cm - 18")

	10 Kt	14 Kt	18 Kt
--	-------	-------	-------

Top Bead

0.80 mm	○ BL-80	1,15	1,30	1,55
1.00 mm	○ BL-100	1,50	1,70	2,05
1.20 mm	○ BL-120	2,20	2,50	3,00
1.50 mm	○ BL-150	3,15	3,55	4,25
2.00 mm	○ BL-200	5,95	6,70	8,05
2.50 mm	○ BL-250	9,15	10,30	12,35
3.00 mm	○ BL-300	12,00	13,50	16,20
3.50 mm	○ BL-350	17,35	19,50	23,40
4.00 mm	○ BL-400	22,35	25,10	30,10

Top Traşlı D/C Bead


0.78 mm	○ BLD-80	1,00	1,10	1,30
0.98 mm	○ BLD-100	1,45	1,60	1,90
1.15 mm	○ BLD-120	2,55	2,85	3,40
1.44 mm	○ BLD-150	3,00	3,35	4,00
1.90 mm	○ BLD-200	5,35	6,00	7,20
2.40 mm	○ BLD-250	8,50	9,55	11,45
2.90 mm	○ BLD-300	10,30	11,55	13,85
3.40 mm	○ BLD-350	16,75	18,80	22,55
3.90 mm	○ BLD-400	21,70	24,40	29,30

Pave Top Pave Bead

1.15 mm	○ P.BL2D-120	1,90	2,15	2,60
1.44 mm	○ P.BL2D-150	3,05	3,45	4,15
1.90 mm	○ P.BL2D-200	5,00	5,60	6,70
3.40 mm	○ P.BL2D-350	14,25	16,00	19,20

(Tolerance ± %5)

Sosis Top Bead & Bar



○ BL1+1-80	1.25	1.40	1.70
○ BL1+1-100	1.75	1.95	2.35
○ BL1+1-120	2.25	2.55	3.05
○ BL1+1-150	3.40	3.80	4.55
○ BL1+1-350	16.75	18.80	22.55

Sosis Top Traşlı D/C Bead & Bar



○ BLD1+1-80	1.15	1.30	1.55
○ BLD1+1-100	1.65	1.85	2.20
○ BLD1+1-120	2.20	2.45	2.95
○ BLD1+1-150	3.20	3.60	4.35
○ BLD1+1-350	15.15	17.00	20.40
○ SOS8K-150	2.75	3.10	3.70
○ P.SOS1D-150	3.20	3.60	4.30

Pave Sosis Top Pave Bead & Bar
















○ P.BLD2+1-150	3.20	3.60	4.30
○ P.BLD3+1-150	3.10	3.50	4.20

(Tolerance \pm %5)

Fantazi Sosis Top Fancy Bead & Bar

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

	○ BLDBO-150	2,95	3,30	3,95
1.50 mm				
	○ BL1DBO1+1-150	3.10	3.45	4.15
1.50 mm				
	○ BLDBO1+1-150	3.40	3.80	4.55
1.50 mm				
	○ BL2DBO1+1-150	3.40	3.80	4.55
1.50 mm				
	○ UBL2D1+1-150	3.40	3.80	4.55
1.50 mm				
	○ UBL2D1+1-150RB1	3.40	3.80	4.55
1.50 mm				
	○ UBLD1+1-150	2.90	3.25	3.90
1.50 mm				
	○ BL3+1-150	3.80	4.25	5.10
1.50 mm				
	○ BLD3+1-150	3.45	3.90	4.70
1.50 mm				
	○ BL8K3+1-150	3.50	3.90	4.65
1.50 mm				
	○ BLDTW2-100/3	4.70	5.30	6.35
2.90 mm				
	○ BMDTW-100/2	3.75	4.20	5.05
2.30 mm				
	○ BMDTW-100/3	5.15	5.80	6.95
2.70 mm				

(Tolerance ± %5)



Çeşitli Fantazi Top ve Sosis Assorted Fancy Bead & Bar

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt










 2.40 mm	 BLK-120/4	8.70	9.75	11.70
 3.00 mm	 BLR-100/6	8.95	10.05	12.05
 3.00 mm	 BLRD-100/6	8.50	9.55	11.45
 3.40 mm	 BLRD-100/8	10.45	11.75	14.10
 3.50 mm	 BLR-120/6	12.35	13.90	16.70
 3.00 mm	 BLBSR-100/6	9.70	10.90	13.10
 3.50 mm	 BLBSR-120/6	13.35	15.00	18.00
 3.00 mm Two Tone	 BLBSRW-100/6	10.05	11.30	13.55
 3.50 mm Two Tone	 BLBSRW-120/6	13.35	15.00	18.00
 3.00 mm Two Tone	 BLBSRW1-100/6	9.45	10.60	12.70
 3.50 mm Two Tone	 BLBSRW1-120/6	13.35	15.00	18.00
 3.00 mm	 BLBSRS-100/6	9.45	10.60	12.70
 3.00 mm Three Tone	 BLBSRW-100/6	9.45	10.60	12.70
 4.10 mm Three Tone	 SOSBS-150/6	21.30	23.90	28.70

(Tolerance \pm %5)

Top Bismark Traşlı Multilined Bead

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

	○ BLD-80/2	1.90	2.15	2.60
1.60 mm				
	○ BLD-80/3	3.10	3.45	4.15
2.40 mm				
	○ BLD-80/4	4.20	4.70	5.65
3.20 mm				
	○ BLD-100/2	2.95	3.30	3.95
2.00 mm				
	○ BLD-100/3	4.35	4.90	5.90
3.00 mm				
	○ BLD-100/4	5.75	6.45	7.75
4.00 mm				
	○ BLD-120/2	4.45	5.00	6.00
2.40 mm				
	○ BLD-120/3	6.75	7.60	9.10
3.60 mm				
	○ BLD-120/4	8.90	10.00	12.00
4.80 mm				

Top Twist Traşlı Twisted D/C Multiline Bead

	○ BLDTW-100/2	3.25	3.65	4.40
2.00 mm				
	○ BLDTW-120/2	4.50	5.05	6.05
3.00 mm				
	○ BLDTW1-100/2	3.65	4.10	4.90
2.40 mm				
	○ BLDTW-100/3	4.95	5.55	6.65
2.00 mm				
	○ BLDTW-120/3	7.75	8.70	10.45
3.60 mm				
	○ BLDTW-100/4	6.70	7.50	9.00
4.00 mm				
	○ BLDTW-100/6	9.15	10.30	12.35
6.00 mm				












(Tolerance \pm %5)

Sosis Top Bismark

D/C Multiline Bead & Bar

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

	○ BLDBS-80/2	2,30	2,60	3,10
1.60 mm				
	○ BLDBS-80/3	3,65	4,10	4,90
2.40 mm				
	○ BLDBS-80/4	4,70	5,30	6,35
3.20 mm				
	○ BLDBS-100/2	3,00	3,40	4,10
2.00 mm				
	○ BLDBS-100/3	5,15	5,80	6,95
3.00 mm				
	○ BLDBS-100/4	7,30	8,20	9,85
4.00 mm				
	○ BLDBS-120/2	4,30	4,85	5,80
2.40 mm				
	○ BLDBS-120/3	6,95	7,80	9,35
3.60 mm				
	○ BLDBS-120/4	8,75	9,85	11,80
4.80 mm				
	○ BLBSS-100/3	5,15	5,80	6,95
3.00 mm				
	○ BLBSS-100/4	7,40	8,30	9,95
4.00 mm				

(Tolerance \pm %5)






















































Forse Bismark

Bismark

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

	 FBS-30/2	2,45	2,75	3,30
1.45 mm				
	 FBS-30/3	3,50	3,95	4,75
2.18 mm				
	 FBS-30/4	4,80	5,40	6,50
2.90 mm				
	 FBS-40/2	4,25	4,75	5,70
2.30 mm				
	 FBS-40/3	6,65	7,45	8,95
3.45 mm				
	 FBS-40/4	8,00	9,00	10,80
4.60 mm				
	 FBS-50/2	6,65	7,45	8,95
2.90 mm				
	 FBS-50/3	10,50	11,80	14,15
4.35 mm				
	 FBS-50/4	13,05	14,65	17,60
5.80 mm				
	 FBSW-50/4	13,15	14,75	17,70
6.20 mm Two Tone				
	 FBS1-40/4	8,30	9,30	11,15
4.45 mm Two Tone				
	 FBSK-50	12,90	14,50	17,40
□ 2.90 mm				
	 FBS2W-30/6	11,90	13,40	16,05
4.95 mm One Side White One Side Yellow				
	 FBSBO-50/4	13,75	15,45	18,55
 5.75 mm				
	 FBSBO-40/6	13,50	15,20	18,25
 6.70 mm				
	 FBSBO-50/6	21,15	23,75	28,20
 8.60 mm				
				
 8.60 mm				
				
 8.60 mm				
				
 8.60 mm				
				
 8.60 mm				
				
 8.60 mm				
				
 8.60 mm				
				
 8.60 mm				
				
 8.60 mm				

(Tolerance ± 5%)

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

Forse Bismark
Bismark



	FBSKW-30	4.80	5.40	6.50
	FBSKTW-30	5.15	5.80	6.95
	FBSKTW2-30	4.90	5.55	6.65
	FBSKTW1-30	4.90	5.50	6.60

Gurmet Bismark
Arrow



	GBS-30/2	2.70	3.00	3.60
	GBS-30/3	3.80	4.30	5.15
	GBS-30/4	5.00	5.60	6.70
	GBS-40/2	4.80	5.40	6.50
	GBS-40/3	8.00	9.00	10.80
	GBS-40/4	10.25	11.50	13.80
	GBS-50/2	7.40	8.30	9.95
	GBS-50/3	11.90	13.40	16.10
	GBS-50/4	15.30	17.20	20.65
	GBS-60/2	11.10	12.50	15.00
	GBS-60/3	16.90	19.00	22.80
	GBS-60/4	22.10	24.80	29.75


(Tolerance ± %5)



Gurmet Franko Franco

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



□ 0.98 mm

□ 1.25 mm


□ 1.52 mm

□ 1.85 mm

□ 2.50 mm

○ GBSK-30	2,30	2,60	3,10
○ GBSK-40	4,05	4,55	5,45
○ GBSK-50	6,30	7,10	8,50
○ GBSK-60	8,90	10,00	12,00
○ GBSK-80	14,40	16,20	19,45

Oval Franko Round Franco



○ 1.20 mm

○ 1.30 mm

○ 1.60 mm

○ 1.90 mm

○ 2.50 mm

○ GBSKO-30	2,60	2,95	3,55
○ GBSKO-40	4,50	5,05	6,05
○ GBSKO-50	6,70	7,50	9,00
○ GBSKO-60	9,70	10,90	13,10
○ GBSKO-80	15,85	17,80	21,35

Pave Gurmet Bismark Pave Arrow



2.95 mm

3.55 mm

○ P.GBS-40/2	4,80	5,40	6,50
○ P.GBS-50/2	6,85	7,70	9,25

Üç Renk Gurmet Bismark Tri-Color Arrow



5.35 mm

○ GBSWR-50/3	11,60	13,00	15,60
--------------	-------	-------	-------












(Tolerance ± %5)



Çeşitli Fantazi Zincirler Assorted Fancy Chains

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

	○ DOCO-50/15C	1.30	1.50	1.80
1.50 mm				
	○ DOC-60/20	2.30	2.60	3.10
1.55 mm				
	○ DOCO-100/30A	5.00	5.60	6.70
2.25 mm				
	○ DOC-70/30B	3.55	4.00	4.80
2.20 mm				
	○ DOCD-100/30	4.30	4.85	5.80
2.85 mm				
	○ DOC-100/30	4.85	5.45	6.50
2.25 mm				
	○ DOC-50/15D	1.30	1.50	1.80
1.05 mm				
	○ DOC-100/50	9.10	10.20	12.25
2.80 mm				
	○ DOC-80	8.60	9.70	11.60
2.80 mm				
	○ DOCT-100/50	7.90	8.90	10.70
	○ DOCG-100/50	9.95	11.20	13.45
2.80 mm				

(Tolerance \pm %5)



WEIGHT (45 cm - 18")

ROPE CHAIN

İPEK HALAT SÜZME



LHRI-650G 23,90 gr

LHRI-700G 34,10 gr

LHRI-850G 46,75 gr

69

(Tolerance \pm %5)

LASER ROPE


İÇİ BOŞ HALAT SÜZME




İçi Boş Lazer Halat Hollow Laser Rope



İçi Boş Halat Hollow Rope

















İçi Dolu Lazer Halat Solid Laser Rope



WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt


 LHR-160	1,40	1,60	1,92
 LHR-210	2,30	2,60	3,10
 LHR-270	3,35	3,75	4,50
 LHR-330	4,80	5,40	6,50
 LHR-380	6,40	7,20	8,65
 LHR-450	8,40	9,45	11,35
 LHR-500	10,30	11,60	13,90
 LHR-550	12,85	14,45	17,35
 LHR-600	14,70	16,50	19,80
 SR-160	4,60	5,20	6,25
 SR-210	7,40	8,30	9,95
 SR-270	11,50	12,90	15,50
 SR-330	16,40	18,40	22,10
 SR-380	21,80	24,50	29,40

(Tolerance \pm %5)

İçi Dolu Lazer Halat Traşlı D/C Solid Laser Rope

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



1.60 mm

SRD-160 3,80 4,30 5,15



1.90 mm

SRD-210 6,65 7,45 8,95



2.30 mm

SRD-270 10,25 11,50 13,80



3.00 mm

SRD-330 14,85 16,70 20,05



3.45 mm

SRD-380 19,75 22,20 26,65

Pave İçi Dolu Lazer Halat Pave Solid Laser Rope



1.90 mm

P.SRD-210 6,45 7,25 8,70



2.30 mm

P.SRD-270 9,80 11,00 13,20



3.00 mm

P.SRD-330 14,50 16,30 19,55



3.45 mm

P.SRD-380 19,60 22,00 26,40

(Tolerance \pm %5)

Hafif Halat
Light Hollow Laser Rope


WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



1.60 mm

○ LLHR-160 0.60 0.70 0.85



2.10 mm

○ LLHR-210 0.95 1.10 1.30



2.70 mm

○ LLHR-270 1.45 1.65 1.95



3.30 mm

○ LLHR-330 2.10 2.35 2.80



3.80 mm

○ LLHR-380 2.65 3.00 3.60

Seyrek Halat
Open Hollow Rope



5.50 mm

○ LLHRS-550 6.85 7.70 9.20



5.50 mm

○ LLHRWS-550 6.20 6.95 8.35



5.50 mm

○ LHRFG-550 9.85 11.10 13.30

Setinalı İpek Halat
Hollow Textured Rope



5.50 mm

○ LHRS-550 12.60 14.20 17.05



6.00 mm

○ LHRI-600 11.65 13.10 15.70



8.00 mm





























○ LHRI-800 14.25 16.00 19.20

(Tolerance ± %5)

Hasir Mesh

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt





































	 HAS-6A	6,35	7,15	8,60
○ 2.00 mm				
	 HASO-6A	6,50	7,30	8,75
○ 2.00 mm				
	 HASH-6	8,00	9,00	10,80
○ 2.00 mm				
	 HASH-8	12,25	13,75	16,50
○ 2.50 mm				
	 HAS-6	9,90	11,10	13,30
○ 3.00 mm				
	 HAS-8	13,20	14,80	17,75
○ 4.00 mm				
	 HASO-6	10,25	11,50	13,80
○ 3.00 mm				
	 HASO-8	13,85	15,55	18,65
○ 4.00 mm				
	 HASF-6	10,30	11,60	13,90
○ 3.00 mm				
	 HASF-8	13,10	14,70	17,65
○ 4.00 mm				
	 HASTW-6	10,70	12,00	14,40
○ 3.00 mm				
	 HASTW-8	15,10	17,00	20,40
○ 4.00 mm				
	 HASS-6	8,00	9,00	10,80
○ 3.00 mm				
	 HASS-8	7,25	8,15	9,80
○ 4.00 mm				

(Tolerance ± %5)

Flex Herringbone

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

	 F-35	5,95	6,70	8,05
3.20 mm				
	 F-40	7,20	8,10	9,70
3.80 mm				
	 F-50	10,95	12,30	14,75
4.80 mm				
	 F-60	15,30	17,20	20,65
5.80 mm				
	 F-70	19,60	22,00	26,40
6.80 mm				
	 FZ-35	5,75	6,50	7,80
3.20 mm				
	 FZ-40	7,25	8,15	9,80
3.80 mm				
	 FZ-50	11,50	12,90	15,70
4.80 mm				
	 FZ-60	15,70	17,65	21,20
5.80 mm				
	 FZ-70	19,70	22,15	26,60
6.80 mm				
	 FS-35	5,80	6,50	7,80
3.20 mm				
	 FS-40	6,45	7,25	8,70
3.80 mm				
	 FS-50	11,50	12,90	15,50
4.80 mm				
	 FS-60	15,75	17,70	21,25
5.80 mm				
	 FS-70	19,75	22,15	26,60
6.80 mm				
	 TRPF-30	5,35	6,00	7,20
4.00 mm				
	 TRPF-40	9,25	10,40	12,50
5.25 mm				
	 TRPF-50	14,50	16,30	19,55
6.50 mm				















(Tolerance \pm 5%)



Pave Desenli Flex
Pave Designed Flex

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

	P.FS1-40	6,45	7,25	8,70
3.80 mm				
	P.FS1-50	11,50	12,90	15,50
4.80 mm				
	P.FO1-50	11,15	12,50	15,00
4.80 mm				
	P.FO1-60	15,75	17,70	21,25
5.80 mm				
	P.FO2-50	10,95	12,30	14,75
4.80 mm				
	P.FDI-40	7,25	8,15	9,80
3.70 mm				
	P.FDI-50	11,15	12,50	15,00
4.70 mm				
	P.FDI-60	16,30	18,30	21,95
5.70 mm				
	P.FD2-40	7,25	8,15	9,80
3.70 mm				
	P.FD2-50	11,40	12,80	15,35
4.70 mm				
	P.FD2-60	16,35	18,35	22,00
5.70 mm				
	FS2-35	6,25	7,00	8,40
3.20 mm				
	FS2-40	7,55	8,50	10,20
3.70 mm				
	FS2-50	11,15	12,50	15,00
4.70 mm				

(Tolerance ± %5)

Ezme Modeller Piatto Chains

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



0.88 mm

○ DG-25 1.00 1.15 1.40



1.04 mm

○ DG-30 1.45 1.65 2.00



1.23 mm

○ DG-35 1.90 2.15 2.60



1.40 mm

○ DG-40 2.60 2.90 3.50



2.00 mm

○ DKTH-30 1.10 1.25 1.50



2.50 mm

○ DKTH-40 1.85 2.10 2.50



3.25 mm

○ DKTH-50 3.05 3.45 4.15



4.10 mm

○ DKTH-60 5.35 6.00 7.20

Çeşitli El İşi Zincirler Assorted Hand-Made Chains



○ VLT 2.15 2.40 2.90




○ VLT 1 2.15 2.40 2.65



○ VLT 2 2.15 2.40 2.90



○ CTWL-60 4.00 4.50 5.40



○ CTWL-60 A 4.00 4.50 5.40



○ CTWL-60 B 4.00 4.50 5.40
















(Tolerance ± %5)

Ezme Modeller

Piatto Chains

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

 0.90 mm	GF-20	0.60	0.65	0.80
 1.15 mm	GF-25	0.80	0.90	1.10
 1.40 mm	GF-30	1.10	1.25	1.50
 1.62 mm	GF-35	1.35	1.50	1.80
 1.90 mm	GF-40	1.80	2.05	2.45
 2.50 mm	GF-50	3.10	3.50	4.20
 3.10 mm	GF-60	4.05	4.55	5.45
 1.80 mm	UGF-35	1.30	1.45	1.75
 2.00 mm	UGF-40	1.55	1.75	2.10
 2.50 mm	UGF-50	2.40	2.70	3.25
 2.93 mm	UGF-60	3.45	3.85	4.60
 1.80 mm	FGF-35	1.40	1.60	1.90
 2.10 mm	FGF-40	1.85	2.10	2.50
 2.50 mm	FGF-50	2.75	3.10	3.70
 3.00 mm	FGF-60	3.70	4.15	5.00

(Tolerance \pm %5)

Ezme Modeller

Piatto Chains

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



2.50 mm

○ ROMF-30 1.90 2.15 2.60



3.60 mm

○ ROMF-40 3.40 3.85 4.60



2.10 mm

○ NONF-30 1.95 2.20 2.65



2.40 mm

○ NONF-40 3.50 4.00 4.80



2.30 mm

○ FORBRF-60 4.05 4.55 5.45



3.00 mm

○ FORBRF-80 6.40 7.20 8.65



1.90 mm

○ LVF-25 1.40 1.60 1.90



2.50 mm

○ LVF-30 1.85 2.10 2.50



2.80 mm

○ LVF-35 2.75 3.10 3.70



3.10 mm

○ LVF-40 3.45 3.90 4.65



3.90 mm

○ LVF-50 4.80 5.40 6.50



4.50 mm

○ LVF-60 6.75 7.60 9.10



2.50 mm

○ ROMTH-30 1.00 1.10 1.30



3.50 mm

○ ROMTH-40 1.70 1.90 2.25



4.40 mm

○ ROMTH-50 2.65 3.00 3.60



5.20 mm

○ ROMTH-60 3.80 4.25 5.10













(Tolerance \pm %5)



Satürn
Saturn

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

	○ SAT-01	2,05	2,30	2,75
	○ SAT-02	2,05	2,30	2,75
	○ SAT-03	2,05	2,30	2,75
	○ SAT-22	2,90	3,25	3,90
	○ SAT-21	2,55	2,90	3,45
	○ SAT-07	5,50	6,20	7,45
	○ SAT-24	2,60	2,90	3,50
	○ SAT-10	3,85	4,35	5,20
	○ SAT-16	4,20	4,70	5,65
	○ SAT-05	4,10	4,60	5,50
	○ SAT-173	3,95	4,45	5,35
	○ SAT-175	3,80	4,30	5,15
	○ SAT-177	3,75	4,20	5,00
	○ SAT-179	3,80	4,30	5,20
	○ SAT-172	4,95	5,55	6,65
	○ SAT-180	4,55	5,10	6,10

(Tolerance ± %5)

Satürn
Saturn

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt














	○ SAT-13	2,90	3,25	3,90
	○ SAT-18	3,00	3,35	4,00
	○ SAT-101	5,95	6,70	8,05
	○ SAT-102	6,85	7,70	9,25
	○ SAT-25	2,90	3,25	3,90
	○ SAT-11	3,00	3,40	4,10
	○ SAT-12	2,05	2,30	2,75
	○ SAT-17	2,90	3,25	3,90
	○ SAT-158	3,75	4,20	5,05
	○ SAT-138	2,05	2,30	2,75
	○ SAT-112	2,95	3,30	3,95
	○ SAT-111	2,80	3,15	3,80

(Tolerance ± %5)

Satürn
Saturn

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

	○ SAT-15	1,30	1,45	1,75
	○ SAT-14	1,45	1,65	2,00
	○ SSAT-1005	3,75	4,20	5,05
	○ SSAT-1008	3,75	4,20	5,05
	○ SSAT-1010	4,00	4,50	5,40
	○ SSAT-1011RBI	1,70	1,90	2,30
	○ SSAT-1002	6,55	7,40	8,85
	○ SSAT-1001	6,10	6,85	8,20
	○ SAT-26	4,00	4,50	5,40
	○ SAT-103	5,05	5,70	6,85
	○ SAT-105	4,35	4,90	5,90
	○ SAT-106	6,65	7,50	9,00
	○ SAT-137	7,30	8,20	9,85

(Tolerance ± %5)

Çeşitli El İşi Zincirler
Assorted Hand-Made
Chains

WEIGHT (45 cm - 18")

10 Kt

14 Kt

18 Kt



1.98 mm



GSKZ1C-60

5,50

6,20

7,45



1.98 mm



GSKZ2C-60

5,45

6,10

7,30



1.98 mm



GSKZ3C-60

5,35

6,00

7,20



2.40 mm



GSKZ1C-70

6,60

7,40

8,90



2.40 mm



GSKZ2C-70

6,55

7,35

8,80



2.40 mm



GSKZ3C-70

6,50

7,30

8,75



2.70 mm



GSKZ1C-80

8,80

9,90

11,90



2.70 mm



GSKZ2C-80

7,90

8,90

10,70



2.70 mm



GSKZ3C-80

8,65

9,70

11,65

(Tolerance \pm %5)

Çeşitli El İşi Zincirler
Assorted Hand-Made
Chains

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



3.40 mm

GSKZ1C-100 14,35 16,10 19,30



3.40 mm

GSKZ2C-100 13,45 15,10 18,10



3.40 mm

GSKZ3C-100 13,95 15,70 18,85



4.10 mm

GSKZ1C-120 18,00 20,20 24,25



4.10 mm

GSKZ2C-120 19,20 21,60 25,90



4.10 mm

GSKZ3C-120 17,35 19,50 23,40



5.10 mm

GSKZ1C-150 26,90 30,20 36,25



5.10 mm

GSKZ2C-150 26,70 30,00 36,00



5.10 mm

GSKZ3C-150 26,60 29,90 35,90



2.40 mm

GCBK-70 8,35 9,40 11,30



2.70 mm

GCBK-80 11,55 13,00 15,60



3.40 mm

GCBK-100 16,45 18,50 22,20

(Tolerance \pm %5)

Çeşitli El İşi Zincirler
Assorted Hand-Made
Chains

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



○ 2.60 mm

🔗 GOKG1-70 5,75 6,45 7,75



○ 2.60 mm

🔗 GOKG2-70 5,90 6,60 7,90



○ 2.60 mm

🔗 GOKG3-70 5,90 6,60 7,90



○ 2.90 mm

🔗 GOKG1-80 9,45 10,60 12,70



○ 2.90 mm

🔗 GOKG2-80 9,55 10,75 12,90



○ 2.90 mm

🔗 GOKG3-80 9,45 10,60 12,70



○ 3.60 mm

🔗 GOKG1-100 15,50 17,40 20,90



○ 3.60 mm

🔗 GOKG2-100 15,40 17,30 20,75



○ 3.60 mm

🔗 GOKG3-100 15,65 17,60 21,10



○ 4.20 mm

🔗 GOKG1-120 21,80 24,50 29,40



○ 4.20 mm

🔗 GOKG2-120 21,70 24,40 29,30



○ 4.20 mm

🔗 GOKG3-120 21,65 24,30 29,15

(Tolerance \pm %5)

Çeşitli El İşi Zincirler
Assorted Hand-Made
Chains

WEIGHT (45 cm - 18")

10 Kt

14 Kt

18 Kt



 GK1C-60	5.50	6.20	7.45
 GK2C-60	5.45	6.10	7.30
 GK3C-60	5.35	6.00	7.20
 GK1C-70	6.60	7.40	8.90
 GK2C-70	6.55	7.35	8.80
 GK3C-70	6.50	7.30	8.75
 GK1C-80	8.80	9.90	11.90
 GK2C-80	8.70	9.80	11.75
 GK3C-80	8.65	9.70	11.65

(Tolerance \pm %5)

Çeşitli El İşi Zincirler
Assorted Hand-Made
Chains

WEIGHT (45 cm - 18")

10 Kt

14 Kt

18 Kt



3.40 mm

GKG1C-100 14.35 16.10 19.30



3.40 mm

GKG2C-100 13.60 15.25 18.30



3.40 mm

GKG3C-100 13.95 15.70 18.85



4.10 mm

GKG1C-120 18.00 20.20 24.25



4.10 mm

GKG2C-120 17.80 20.00 24.00



4.10 mm

GKG3C-120 17.35 19.50 23.40



5.10 mm

GKG1C-150 26.90 30.20 36.25



5.10 mm

GKG2C-150 26.70 30.00 36.00



5.10 mm













GKG3C-150 26.60 29.90 35.90

(Tolerance \pm %5)

Katlamalı Zincirler
Fold Over Chains

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

	○ KZ-121	2.60	2.90	3.50
	○ KZ-121S	3.10	3.50	4.20
	○ KZ-100	7.65	8.60	10.30
	○ KZ-100 S	7.55	8.50	10.20
	○ KZ-101	9.10	10.20	12.25
	○ KZ-101S	9.70	10.90	13.10
	○ KZ-124	4.30	4.85	5.80
	○ KZ-124S	4.35	4.90	5.90
	○ KZ-102	8.80	9.90	11.90
	○ KZ-102S	9.10	10.20	12.25
	○ KZ-103	11.20	12.60	15.10
	○ KZ-103S	11.75	13.20	15.85

(Tolerance ± %5)

Katlamalı Zincirler
Fold Over Chains

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



☞ KZ-114 5.90 6.60 7.90



☞ KZ-107 9.65 10.85 13.00



☞ KZ-108 9.80 11.00 13.20



☞ KZ-109 8.80 9.85 11.80



☞ KZ-110 8.70 9.75 11.70



☞ KZ-111 11.10 12.50 15.00



☞ KZ-112 9.45 10.60 12.75



☞ KZ-113 10.25 11.50 13.80



☞ KZ-122 6.35 7.15 8.60



☞ KZ-140 6.15 6.90 8.30



☞ KZ-134 6.55 7.40 8.85



☞ KZ-126 2.60 2.95 3.55

(Tolerance \pm %5)

Katlamalı Zincirler
Fold Over Chains

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



☞ KZ-106 9,15 10,30 12,35



☞ KZ-106 S 9,15 10,30 12,35



☞ KZ-120 3,60 4,05 4,90



☞ KZ-139 5,35 6,00 7,20



☞ KZ-129 5,40 6,10 7,30



☞ KZ-104 8,55 9,60 11,50



☞ KZ-104S 8,90 10,00 12,00



☞ KZ-105 14,70 16,50 19,80



☞ KZ-105S 14,60 16,40 19,70



☞ KZ-127 2,55 2,90 3,45



☞ KZ-125S 3,00 3,40 4,10



☞ KZ-125 3,10 3,50 4,20

(Tolerance \pm %5)

Çeşitli Fantazi Zincirler
Assorted Fancy Chains

WEIGHT (45 cm - 18")

10 Kt

14 Kt

18 Kt



















	10 Kt	14 Kt	18 Kt
HOOK-01	10,50	11,80	14,15
HOOK-01 A	9,45	10,60	12,75
HOOK-03 A	14,00	15,70	18,85
HOOK-02	14,00	15,70	18,85
HOOK-03	13,30	14,95	17,95
HOOK-04	16,60	18,65	22,40
HOOK-08	12,25	13,75	16,50
HOOK-08 A	12,25	13,75	16,50
HOOK-12	14,80	16,65	19,90
HOOK-15	14,40	16,20	19,40
HOOK-01B	10,25	11,50	13,80
HOOK-14	24,00	27,00	32,40
HOOK-17	13,50	15,20	18,25
HOOK-07A	18,70	21,00	2,50
HOOK-06A	16,65	18,70	22,45

(Tolerance ± %5)

Kral
Square Byzantine

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt


	☉ KNGR-50	11.90	13.40	16.10
	☉ KNGR-60	13.25	14.90	17.90
	☉ KNGR-70	22.50	25.30	30.35
	☉ KNGR-80	24.85	27.95	33.55
	☉ KNGR-90	36.20	40.70	48.85
	☉ KNGR-100	44.75	50.30	60.35
	☉ KNGR-120	53.65	60.30	72.35
	☉ KNGR-140	68.10	76.50	91.80
	☉ KNG-50	10.60	11.90	14.30
	☉ KNG-60	15.85	17.80	21.35
	☉ KNG-70	22.60	25.40	30.50
	☉ KNG-80	27.05	30.40	36.50
	☉ KNG-90	32.05	36.00	43.20
	☉ KNG-100	39.60	44.50	53.40
	☉ KNG-120	46.95	52.75	63.30
	☉ KNG-140	65.60	73.70	88.45

(Tolerance ± %5)

Garibaldi
Garibaldi

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



🔑 GAR-30/2	2.65	3.00	3.60
🔑 GAR-35/2	3.45	3.90	4.70
🔑 GAR-40/2	5.10	5.70	6.85
🔑 GAR-50/2	8.20	9.20	11.05
🔑 GAR-60/2	12.00	13.50	16.20
🔑 GAR-70/2	16.25	18.25	21.90
🔑 GAR-80/2	20.05	22.50	27.00
🔑 GAR-90/2	26.70	30.00	36.00
🔑 GAR-100/2	32.40	36.40	43.70
🔑 GAR-115/2	44.15	49.60	59.50
🔑 GAR-130/2	53.75	60.40	72.50
🔑 GAR-150/2	71.65	80.50	96.60
🔑 GAR-180/2	95.75	107.60	129.10
🔑 GAR-220/2	147.55	165.80	198.95

(Tolerance ± %5)

Üç Halka Garibaldi
Three Link Garibaldi

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



2.50 mm

🔑 GAR-30/3 4.45 5.00 6.00



3.00 mm

🔑 GAR-35/3 6.05 6.80 8.15



3.60 mm

🔑 GAR-40/3 8.70 9.75 11.70



4.50 mm

🔑 GAR-50/3 12.70 14.30 17.15



5.40 mm

🔑 GAR-60/3 17.80 20.00 24.00



6.00 mm

🔑 GAR-70/3 24.50 27.50 33.00



6.70 mm

🔑 GAR-80/3 31.60 35.50 42.60



8.70 mm

🔑 GAR-100/3 47.85 53.75 64.50



9.40 mm

🔑 GAR-115/3 61.70 69.30 83.15



10.20 mm

🔑 GAR-130/3 74.75 83.95 100.75



12.80 mm

🔑 GAR-150/3 97.00 109.00 130.00

(Tolerance ± %5)

Bombeli Garibaldi
Convex Garibaldi

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



○ 3.30 mm

▶ GARO-50/2 7.10 8.00 9.60



○ 3.90 mm

▶ GARO-60/2 10.75 12.05 14.45



○ 4.40 mm

▶ GARO-70/2 12.90 14.50 17.40



○ 5.10 mm

▶ GARO-80/2 17.65 19.80 23.75



○ 5.20 mm

▶ GARO-90/2 24.20 27.20 32.65



○ 5.90 mm

▶ GARO-100/2 29.65 33.30 40.00



○ 7.10 mm

▶ GARO-115/2 37.95 42.65 51.20



○ 8.10 mm

▶ GARO-130/2 47.50 53.40 64.10



○ 8.50 mm

▶ GARO-150/2 69.10 77.65 93.20



○ 10.20 mm

▶ GARO-180/2 99.30 111.55 133.90



○ 12.70 mm

▶ GARO-220/2 148.65 167.00 200.40

(Tolerance ± %5)



Traşlı Açık Garibaldi
D/C Charm Bracelets

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



🔑 CBD-50/2	7,90	8,85	10,65
🔑 CBD-60/2	11,25	12,65	15,20
🔑 CBD-70/2	15,05	16,90	20,30
🔑 CBD-80/2	19,25	21,60	25,95
🔑 CBD-90/2	24,15	27,15	32,60
🔑 CBD-100/2	27,60	31,00	37,20
🔑 CBD-115/2	37,95	42,65	51,20
🔑 CBD-130/2	45,40	51,00	61,20

Üç Halka Açık Garibaldi
Three Link Charm Bracelets



🔑 CB-35/3	5,20	5,85	7,05
🔑 CB-40/3	6,75	7,60	9,10
🔑 CB-45/3	10,00	11,25	13,50
🔑 CB-60/3	16,55	18,60	22,35
🔑 CBMF-45/3	10,60	11,90	14,30

Dört Halka Açık Garibaldi
Four Link Charm Bracelets
















🔑 CB-45/4	12,65	14,20	17,05
🔑 CB-60/4	22,50	25,30	30,35

(Tolerance \pm %5)

Pullu Bileklikler
Mirror Bracelets

WEIGHT (18 cm - 7")

10 Kt 14 Kt 18 Kt














	0 P	2,40	2,70	3,25
	1 P	3,10	3,50	4,20
	2 P	3,85	4,30	5,15
	0 HT	2,50	2,80	3,40
	1 HT	3,30	3,70	4,45
	2 HT	4,10	4,60	5,50
	3 HT	5,90	6,65	7,95
	0 PZ	1,80	2,00	2,40
	1 PZ	2,15	2,40	2,90
	2 PZ	2,55	2,85	3,45
	0 HSKPI	1,65	1,85	2,25
	1 HSKPI	2,40	2,70	3,25
	2 HSKPI	2,85	3,20	3,85

(Tolerance \pm %5)

Pullu Bileklikler
Mirror Bracelets

WEIGHT (18 cm - 7")

10 Kt 14 Kt 18 Kt

	0 RYHSKP1	1.85	2.10	2.50
	1 RYHSKP1	2.40	2.70	3.25
	2 RYHSKP1	2.85	3.20	3.85
	0 HR	2.25	2.50	3.00
	1 HR	2.75	3.10	3.70
	2 HR	3.30	3.70	4.45
	0 HSX	1.70	1.90	2.30
	1 HSX	2.90	3.25	3.90
	3 HSX	4.90	5.50	6.60
	4 HSX	4.95	5.55	6.65
	0 RHSX	1.60	1.80	2.15
	1 RHSX	2.90	3.25	3.90
	3 RHSX	4.75	5.35	6.40

(Tolerance \pm %5)

Paralel Pullu Bileklik
Assorted Mirror Bracelets

WEIGHT (18 cm - 7")

10 Kt 14 Kt 18 Kt



PUL-01 4.30 4.80 5.75



PUL-02 4.45 5.00 6.00



PUL-03 4.20 4.70 5.65



PUL-04 4.45 5.00 6.00



PUL-55 4.20 4.70 5.65



PUL-05 4.20 4.70 5.65



PUL-06 4.45 5.00 6.00



PUL-07 3.90 4.35 5.25



PUL-08 4.05 4.55 5.45



PUL-09 3.85 4.30 5.15



PUL-10 3.95 4.45 5.35

(Tolerance \pm %5)

Paralel Pullu Bileklik
Assorted Mirror Bracelets

WEIGHT (18 cm - 7")

10 Kt 14 Kt 18 Kt



PUL-46 2,85 3,20 3,85



PUL-19 2,60 2,90 3,50



PUL-60 4,55 5,10 6,10



PUL-16 4,45 5,00 6,00



PUL-18 4,45 5,00 6,00



PUL-25 4,90 5,50 6,60



PUL-42 4,55 5,10 6,10



PUL-35 4,45 5,00 6,00



PUL-34 4,65 5,20 6,25



PUL-50 4,70 5,30 6,35



PUL-51 4,65 5,20 6,25



PUL-54 4,65 5,20 6,25

(Tolerance \pm %5)

Paralel Pullu Bileklik
Assorted Mirror Bracelets

WEIGHT (18 cm - 7")

10 Kt 14 Kt 18 Kt



PUL-13 4.65 5.20 6.25



PUL-12 4.70 5.30 6.35



PUL-11 4.65 5.20 6.25



PUL-49 5.70 6.40 7.70



PUL-48 6.70 7.55 9.05



PUL-22 A 4.65 5.20 6.25



PUL-33 4.65 5.25 6.30



PUL-84 4.50 5.05 6.05



PUL-98 5.15 5.80 6.95



PUL-99 6.15 6.90 8.30

(Tolerance ± %5)

ElİŖi Bileklikler
Hand Made Bracelets

WEIGHT (18 cm - 7")

10 Kt

14 Kt

18 Kt



ZB-1222A

7,35

8,25

9,90



ZB-1220

6,95

7,80

9,35



ZB-1220B

6,75

7,60

9,10



ZB-1075C

2,90

3,30

3,95



ZB-1072

3,60

4,05

4,86



ZB-1078A

4,80

5,40

6,50




ZB-1075B

2,90

3,30

3,95




ZB-1072A

3,40

3,80

4,55




ZB-1075

4,05

4,55

5,45



ZB-1075A

4,10

4,60


5,50

(Tolerance \pm %5)

Elişi Bileklikler
Hand Made Bracelets

WEIGHT (18 cm - 7")

10 Kt 14 Kt 18 Kt



 ZB-1023	9,30	10,45	12,55
 GUC-10	2,90	3,30	3,95
 GUC-10A	2,90	3,30	3,95
 GUC-03	3,75	4,20	5,05
 GUC-04	4,30	4,80	5,75
 GUC-05	4,60	5,15	6,15
 GUC-06A	5,60	6,60	7,90
 GUC-11	7,70	8,65	10,35
 GUC-07	8,80	9,90	11,90
 GUC-08	11,30	12,70	15,25
 GUC-09	13,90	15,60	18,75
 GUC-20	8,85	9,95	11,95
 GUC-21	9,45	10,60	12,75

(Tolerance \pm %5)

Elişi Bileklikler
Hand Made Bracelets

WEIGHT (18 cm - 7")

10 Kt

14 Kt

18 Kt



ZB-1205L 4,50 5,10 6,10



ZB-827E 5,35 6,00 7,20



ZB-1205K 11,35 12,75 15,30



ZB-827A 11,05 12,40 14,90



ZB-1205J 11,25 12,65 15,20



ZB-1205H 13,60 15,25 18,30




ZB-1205B 15,60 17,55 21,05



ZB-1205A 15,45 17,35 20,80



ZB-827N 16,95 19,05 22,85



ZB-827M 17,50 19,65 23,55

(Tolerance \pm 5%)

Elİşi Bileklikler
Hand Made Bracelets

WEIGHT (18 cm - 7")

10 Kt 14 Kt 18 Kt



ELIS-99

5,30

5,95

7,15



ELIS-98

5,45

6,15

7,40



ELIS-96

7,05

7,95

9,55



ELIS-81

13,90

15,65

18,80



ELIS-94

13,00

14,65

17,60



ELIS-68

11,90

13,35

16,00



ELIS-77

16,25

18,25

21,90



ELIS-95A

25,00

28,10

33,70



ELIS-95

24,85

27,90

33,50

(Tolerance \pm %5)

ElİŖi Bileklikler
Hand Made Bracelets

WEIGHT (18 cm - 7")

10 Kt

14 Kt

18 Kt



ELIS-07 2.50 2.85 3.40



ELIS-02 2.60 2.90 3.50



ELIS-14 2.30 2.60 3.10



ELIS-15 2.20 2.50 3.00



ZB-966C 8,90 10,00 12,00



ZB-966B 11,45 12,85 15,40




ELIS-97 14,15 15,90 19,10



ZB-966 15,50 17,40 20,90



ZB-959 9,70 10,90 13,10



ZB-959A 9,70 10,90 13,10

(Tolerance \pm %5)

ElİŖi Bileklikler
Hand Made Bracelets

WEIGHT (18 cm - 7")

10 Kt

14 Kt

18 Kt



ELIS-65

6,55

7,35

8,80



ELIS-73

11,05

12,40

14,90



ELIS-74

16,40

18,45

22,15



ELIS-50

7,05

7,90

9,50



ZB-958

8,90

10,00

12,00



ELIS-91

13,30

14,95

17,95



ELIS-92

25,35

28,50

34,20



ELIS-31

26,80

30,10

36,10



ELIS-21

31,30

35,15

42,18



ELIS-20

35,50

39,90

47,85














(Tolerance \pm %5)

ElİŖi Bileklikler
Hand Made Bracelets

WEIGHT (18 cm - 7")

10 Kt 14 Kt 18 Kt



 ELIS-69	7.85	8.80	10.55
 ELIS-89	12.10	13.60	16.30
 ELIS-17	22.15	24.90	29.85
 ELIS-34	8.10	9.10	10.90
 ELIS-24	9.50	10.70	12.85
 ELIS-27	10.05	11.30	13.55
 ELIS-19	12.50	14.05	16.85
 ELIS-38	6.70	7.75	9.30
 ELIS-29	8.65	9.75	11.70
 ELIS-33	17.55	19.75	23.70
 ELIS-18	22.50	25.30	30.35
 ELIS-32	22.15	24.90	29.90
 ELIS-26	20.25	22.75	27.30

(Tolerance \pm %5)

Elişi Bileklikler
Hand Made Bracelets

WEIGHT (18 cm - 7")

10 Kt 14 Kt 18 Kt

	ZB-1111	2,80	3,15	3,75
	ZB-1029	5,65	6,35	7,60
	ZB-969A	6,85	7,70	9,25
	ZB-969	5,25	5,90	7,05
	ZB-1046	4,35	4,90	5,90
	ZB-983C	2,65	3,00	3,60
	ZB-967A	5,95	6,70	8,05
	ZB-983B	4,95	5,60	6,70
	ZB-1061	5,60	6,30	7,55
	ZB-1062	7,65	8,60	10,30
	ZB-968A	6,55	7,40	8,40
	ZB-1037A	12,55	14,10	16,90
	ZB-970B	4,60	5,20	6,25

(Tolerance \pm %5)

ElİŖi Bileklikler
Hand Made Bracelets

WEIGHT (18 cm - 7")

10 Kt 14 Kt 18 Kt



ELIS-85 6.20 6.95 8.35



ELIS-85A 6.55 7.40 8.90



ELIS-86 6.55 7.40 8.90



ELIS-83 7.50 8.45 10.15



ELIS-87 8.05 9.05 10.85



ELIS-35 6.85 7.70 9.25



ELIS-37 7.50 8.45 10.15



ZB-526 12.95 14.55 17.45



ZB-527 9.30 10.45 12.55



ZB-528 6.70 7.55 9.05

(Tolerance \pm %5)

Elişi Bileklikler
Hand Made Bracelets

WEIGHT (18 cm - 7")

10 Kt 14 Kt 18 Kt

	B60382	4.30	4.85	5.80
	B60358A	4,30	4,85	5,80
	B41760	2.55	2.85	3.40
	B41760B	2.95	3.30	3.95
	ELİS-01	4.05	4.55	5.45
	B60237	2.95	3.30	3.95
	ELİS-72	5.05	5.70	6.85
	B60268	4.40	4.95	5.95
	B60277A	8.00	9.00	10.80
	B60276A	7.70	8.65	10.40
	B61102	2.65	2.96	3.55
	B60786	8.35	9.40	11.30

(Tolerance \pm %5)

Elişi Bileklikler
Hand Made Bracelets

WEIGHT (18 cm - 7")

10 Kt 14 Kt 18 Kt

	 B61929	16,00	18,00	21,60
	 B61922	19,00	21,40	25,70
	 B61924	16,75	18,80	22,55
	 B61930	21,80	24,50	29,40
	 B61919	16,40	18,40	22,00
	 B61923A	22,60	25,40	30,45
	 B61937	15,75	17,70	21,25
	 B61935	16,00	18,00	21,60
	 B61934	19,50	21,90	26,30
	 B61933	26,70	30,00	36,00
	 B61932	24,35	27,35	32,80
	 B61940	40,00	45,00	54,00
	 B61939	51,30	57,50	69,00

(Tolerance \pm %5)

Sosis Top Örgü
Braided Bead & Bar

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

	BMOR30-10	5.10	5.70	6.85
	BMOR30-12	7.50	8.40	10.10
	BMOR30-15	11.55	13.00	15.60
	BMOR31-10	5.25	5.90	7.10
	BMOR31-12	7.50	8.40	10.10
	BMOR31-15	11.55	13.00	15.60
	BMOR32-10	12.65	14.20	17.05
	BMOR32-12	15.15	17.00	20.40
	BXOR20-15	7.90	8.90	10.70
	BXOR21-15	8.55	9.60	11.50
	BXOR30-15	12.30	13.80	16.55
	P.BXOR30-15	12.20	13.70	16.45
	BXOR31-15	11.80	13.25	15.90
	BXOR40-15	17.80	20.00	24.00

(Tolerance \pm %8)

Forse Örgü
Braided Forzentina

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



FROR20-50	8.70	9.75	11.70
FROR21-50	8.70	9.75	11.70
FBOR30-30	9.90	11.10	13.30
FBOR30-40	14.85	16.70	20.05

Top Örgü
Braided Bead



BLSOR31-15	24.25	27.25	32.70
BLSOR30-12	15.30	17.20	20.65
BLOR30-10	11.15	12.50	15.00
BLOR21-10	23.15	26.00	31.20
BLOR40-10	16.15	18.15	21.80
BLOR41-10	16.50	18.50	22.20
BLOR43-10	24.30	27.30	32.75
BLOR61-10	23.15	26.00	31.20

(Tolerance \pm %8)

Kuş Kafesi Örgü
Braided Popcorn

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



PCOR20-16	5.50	6.15	7.40
PCOR20-18	7.60	8.55	10.25
PCOR21-16	5.95	6.70	8.05
PCOR21-18	7.60	8.55	10.25
PCOR31-16	9.90	11.10	13.30
PCOR31-18	11.65	13.10	15.75
PCOR31-26	18.90	21.20	25.45
PCOR30-26	21.85	24.55	29.45
PCOR40-16	16.90	19.00	22.80
PCOR41-16	16.75	18.80	22.55
PCOR42-16	16.50	18.55	22.25

(Tolerance \pm %8)

Serpantina Örgü
Braided Serpentine

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



SROR30-30 4,25 4,75 5,70



SROR40-30 5,35 6,00 7,20



SROR50-30 7,00 7,85 9,45



SROR31-30 3,60 4,05 4,85



SROR41-30 5,20 5,85 7,00



SROR51-30 5,90 6,60 7,90

DK Örgüler
Braided Chains



DKOR45-30 7,55 8,50 10,20



DKOR42-30 7,55 8,50 10,20



DKOR31-30 5,45 6,10 7,30



DKOR51-30 9,00 10,10 12,10




DKOR71-30 12,75 14,30 17,15



DKOR90-30 16,30 18,30 21,95



FLOR20-50 24,70 24,75 29,70


















FLOR21-50 22,10 24,80 29,75

(Tolerance \pm %8)

Karışık Örgü Zincirler
Mixed Braided Chains

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

	FTBL31-25	7.50	8.40	10.10
	FTBL32-25	7.20	8.10	9.75
	FTBL41-35	12.20	13.70	16.45
	FTBL51-35	14.45	16.25	19.50
	FTBL53-35	14.15	15.90	19.10
	FTBL54-35	14.15	15.90	19.10
	FBS42-35	13.35	15.00	18.00
	PCBL41-18	11.55	13.00	15.60
	FBBL32-30	9.10	10.20	12.25
	FBBL31-30	10.00	11.25	13.50
	BLKM30-10	10.95	12.30	14.75
	BLKM31-10	10.70	12.00	14.40
	BLKM32-10	12.00	13.50	16.20
	BLKM50-10	15.10	16.95	20.35
	FBBL51-30	17.10	19.25	23.10

(Tolerance \pm %8)

Karışık Örgü Zincirler
Mixed Braided Chains

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



HRTW32-40 3.30 3.70 4.45



HRTW32-50 5.15 5.80 6.95



HRTW32-60 5.75 6.50 7.80



HRTW32-70 10.35 11.65 14.00



GBOR30-30 10.40 11.70 14.05



GBOR32-30 10.40 11.70 14.05



BLSF30-10 13.45 15.10 18.10



BLSF31-10 13.45 15.10 18.10



KMBL52-25 18.95 21.30 25.55



PZOR30-0 12.90 14.50 17.40

WEIGHT (18 cm - 7")

10 Kt 14 Kt 18 Kt



BLDK71-10 7.10 8.00 9.60



BLDK91-10 10.30 11.60 13.90





































BLDK92-10 10.30 11.60 13.90

(Tolerance \pm %8)

Karışık Örgü Zincirler
Mixed Braided Chains

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

	 HRBL30-60	9,60	10,80	12,95
	 HRBL31-40	5,80	6,50	7,80
	 HRBL31-50	6,95	7,80	9,35
	 HRBL31-60	9,90	11,15	13,40
	 HRBL31-70	11,00	12,40	14,90
	 HRBL32-40	6,35	7,15	8,60
	 HRBL32-50	8,25	9,25	11,10
	 HRBL32-60	9,15	10,30	12,35
	 HRBL32-70	10,85	12,20	14,65
	 HRTW31-40	3,55	4,00	4,80
	 HRTW31-50	5,10	5,75	6,90
	 HRTW31-60	7,40	8,30	9,95
	 HRTW31-70	11,70	13,15	15,80
	 HROR22-40	5,05	5,70	6,85
	 HROR31-30	4,30	4,80	5,75
	 HROR31-40	7,75	8,70	10,45
	 HROR31-50	15,10	17,00	20,40

(Tolerance \pm %8)

Tondo Örgü
Braided Snake

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt

	☉ SNOR21-25	7.20	8.10	9.70
	☉ SNOR20-25	6.70	7.55	9.05
	☉ SNOR32-25	9.45	10.65	12.75
<p>Karışık Örgü Zincirler <i>Mixed Braided Chains</i></p>				
	☉ FRBL31-50	9.80	11.00	13.20
	☉ FRTW31-50	9.95	11.20	13.45
	☉ SNTW31-25	7.40	8.30	9.95
	☉ SNBL31-25	8.00	9.00	10.80
	☉ SNBL33-25	8.90	10.00	12.00
	☉ SARTW-30	9.15	10.30	12.35
	☉ SARKMP-25	10.50	11.80	14.15
	☉ HRTW63-40	8.25	9.25	11.10
	☉ HRTW62-40	7.90	8.85	10.60
	☉ HRTW61-40	7.55	8.50	10.20
	☉ HRTW61-50	11.35	12.75	15.30
	☉ HRBL61-40	11.80	13.25	15.90
	☉ HRBL61-50	15.15	17.00	20.40

(Tolerance \pm %8)

Künyeler
I.D. Bracelets

WEIGHT (22 cm - 8.5")

10 Kt 14 Kt 18 Kt

21 cm

ID-12 10,70 12,05 14,45

18 cm

ID-33 5,95 6,70 8,05

19 cm

ID-36 8,20 9,20 11,05

20 cm

ID-62 13,00 14,60 17,50

18 cm

ID-56 5,05 5,70 6,85

18 cm

ID-61A 4,85 5,45 6,55

20 cm

ID-60 3,40 3,80 4,55

18 cm

ID-60A 2,80 3,20 3,85

16 cm

ID-59A 1,70 1,90 2,25

16 cm


ID-59 1,70 1,90 2,25

(Tolerance \pm %5)



Künyeler
I.D. Bracelets

WEIGHT (21 cm - 8.25")




		10 Kt	14 Kt	18 Kt
			21 cm	
☺	ID-30	5,65	6,35	7,60
			21 cm	
☺	ID-10	9,60	10,80	12,95
			21 cm	
☺	ID-63	11,30	12,70	15,24
			21 cm	
☺	ID-08	16,20	18,20	21,85
			20 cm	
☺	ID-02	9,00	10,15	12,20
			21 cm	
☺	ID-13	13,30	14,95	17,95
			19 cm	
☺	ID-34	5,85	6,60	7,90
			19 cm	
☺	ID-32	5,60	6,30	7,55
			18 cm	
☺	ID-25A	4,55	5,10	6,10
			19 cm	
☺	ID-35	8,20	9,20	11,05
			19 cm	
☺	ID-31	5,35	6,00	7,20












(Tolerance ± %5)

Künyeler
I.D. Bracelets

WEIGHT (45 cm - 18")

10 Kt 14 Kt 18 Kt



			18 cm	
	ID-18	7,00	7,85	9,40
	ID-17	6,15	6,90	8,25
	ID-15	7,00	7,90	9,50
	ID-22	6,70	7,50	9,00
	ID-40	7,25	8,15	9,80
	ID-19	7,00	7,85	9,40
	ID-21	6,90	7,75	9,30
	ID-39	9,15	10,30	12,35
	ID-41	9,25	10,40	12,50
	ID-38	8,75	9,85	11,80
	ID-42	8,90	10,00	12,00

(Tolerance ± %5)

Künyeler
I.D. Bracelets

WEIGHT (22 cm - 8.5")

10 Kt 14 Kt 18 Kt



ID-77B 18 cm
5.20 5.85 7.00



ID-77C 18 cm
5.05 5.70 6.85



ID-77 18 cm
5.55 6.25 7.50



ID-78 18 cm
4.65 5.25 6.30



ID-78A 18 cm
4.60 5.20 6.25



ID-95 15 cm
3.45 3.90 4.65



ID-96 13 cm
2.05 2.30 2.75



ID-96A 14 cm
2.15 2.45 2.95



ID-95A 15 cm
2.90 3.30 3.95

(Tolerance \pm %5)



WHOLE SALE

Tasdirek Cesme Sok.

Ariman Han No:9/3

Cemberlitas Istanbul Turkey

TEL: 0 (212) 518 47 60

Fax: 0 (212) 517 98 89

email: antas@antasjewellery.com

SHOW ROOM

Buyuk Sehir Is Merkezi

Kat:1 No: 43/26

Antalya Turkey

TEL: 0 (242) 247 70 49

Fax: 0 (242) 247 71 28

email: antas@antasjewellery.com

www.antasjewellery.com